POLYHEDRON

SUBJECT INDEX FOR VOLUME 13, 1994

Pergamon



POLYHEDRON

The International Journal for Inorganic and Organometallic Chemistry

Editor-in-Chief:
Sir Geoffrey Wilkinson, *Imperial College of Science and Technology*

Executive Editors:
Rest of the World
D C Bradley, *Queen Mary and Westfield College, University of London, Mile End Road, London E1 4NS, U.K. Fax:* (0181) 983 0625

U.S.A. and Canada
M H Chisholm, *Department of Chemistry, Indiana University, Bloomington, IN 47405, U.S.A. Fax:* (812) 855 7148

Editorial Board:
E W Abel, *University of Exeter*
R D Adams, *University of South Carolina*
E Carmona, *Universidad de Sevilla*
E C Constable, *University of Basle*
F A Cotton, *Texas A & M University*
D Coucouvanis, *University of Michigan*
A H Cowley, *University of Texas at Austin*
I G Dance, *University of New South Wales*
J R Dilworth, *University of Essex*
W J Evans, *University of California at Irvine*
R D Gillard, *University of Wales, Cardiff*
M L H Green, *University of Oxford*
N N Greenwood, *University of Leeds*
R H Holm, *Harvard University*
M B Hursthouse, *University of Wales, Cardiff*
F Mathey, *Polytechnique CNRS-SNPE*
W McFarlane, *University of Newcastle upon Tyne*
J A Osborn, *Université Louis Pasteur*
R J Puddephatt, *University of Western Ontario*
E Sinn, *University of Hull*
F G A Stone, *Baylor University*
P Stoppioni, *Università Degli Studi di Firenze*
A G Sykes, *University of Newcastle upon Tyne*
K Vrieze, *Universiteit van Amsterdam*
K Wade, *University of Durham*
A Yamamoto, *Waseda University*

Polyhedron Reports and Polyhedron Symposia-in-Print
Editors:
M H Chisholm, *Indiana University*
J D Woollins, *Loughborough University of Technology*

Production Editor:
J L Meikle, *Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. Fax:* (01865) 843969

Publishing, Advertising and Subscriptions Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. Tel: (+1865) 843000, Fax: (+1865) 843010.

Frequency: Published semi-monthly

Subscription Information
Annual Institutional Subscription Rates 1995: North, Central and South America, U.S. $2295.00, Rest of World, £1540.00. Associated Personal Subscription Rates are available on request for those whose institutions are library subscribers. Sterling prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice. Subscription enquiries from customers in North America should be sent to: Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A. and from the Rest of the World to Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K. Subscription rates for Japan are available on request.

Back Issues: Back issues of all previously published volumes are available direct from Elsevier Science offices (Oxford and New York). Complete volumes and single issues can be purchased for 1990–1994. Earlier issues are available in high quality photo-duplicated copies as complete volumes only. Back volumes on microfilm are available from UMI, 300 North Zeeb Road, Ann Arbor, MI 48106, U.S.A.

© 1995 Elsevier Science Ltd

Second class postage paid at Newark, NJ, and additional mailing offices. Postmaster send address corrections to *Polyhedron,* Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, U.S.A.

SUBJECT INDEX FOR VOLUME 13, 1994

PERGAMON

POLYHEDRON

VOLUME 13

SUBJECT INDEX

Compiled by

Peter Thornton

A

Acetanilide complexes
  rhenium(III), 807
Acetates
  cadmium, 1181,1661
  copper(II), 1907,2933,3111
  gadolinium, 1181
  lanthanum, 573
  lead, 1181,1683
  magnesium, 1181
  manganese(II), 2157
  molybdenum(IV),3341
  nickel(II), 1907
  niobium, 1181
  rhodium(II), 2933
  ruthenium(I), 3243
  ruthenium(II), 2751
  ruthenium(II,III), 2647
  ruthenium(III), 3079
  thallium(III), 3031
  titanium(IV), 1181
  tungsten(IV), 3341
  uranium(VI), 559,2945
  zinc, 2079,3329
  zirconium, 1181
Acetic acid complexes
  ruthenium(I), 175
Acetone complexes
  molybdenum(II), 3309
Acetonitrile complexes
  copper(I), 2431
  europium, 313
  molybdenum(II), 39,3309
  tungsten(II), 2915
  uranium(VI), 1725
Acetyls
  manganese(I), 2301
N-Acetylanthranilates
  silver, 2425
Acetylcyclopentadienyls
  molybdenum(0), 3235
Acetylferrocenenyl hydrazone
  complexes,
  cadmium, 57
  cobalt(II), 57,2395
  copper(II), 57,2395
  manganese(II), 57,2395
  mercury, 57
  nickel(II), 57,2395
  lead, zinc, 57
Acetylpyrrole Schiff base
  complexes, nickel(II), 2055
Acidity, silver(III) ethylene-
  bis(biguanide) complex, 53
Acyls
  manganese(I), 2301
Acylpyrazolone complexes
  tin(II),(IV), 938
Acylthiazolylthiourea complexes
  Co,Cu,Hg,Ni,Pd, 3295
Alanine complexes
  cobalt(III), 1027,2591
  lanthanides, yttrium, 2333
Alcohols, molecular orbitals,
  2245
Alcohols, unsaturated,
  oxidation by Mn(IV), 445
Alcohol complexes
  barium, 1181
  copper(II), 933
  iron(II), 2639
  molybdenum(VI), 441
  nickel(II), 1593
  Pd(II), Pt(II), 777
  ruthenium(III), 2671
  titanium(IV), 1181
Aldehydes
  molecular orbitals, 2245
  reactivity with cytochrome
    P450, 2473
Aldonic acid complexes
  Co(II),Ni(II), 143
  zinc, 909
Alduronic acid complexes
  Co(II), Ni(II), 143
Alkene epoxidation catalysed by
  Fe(III) complexes, 2659
Alkene hydrogenation catalysed
  by Ru(II) complexes, 1887
Alkene oxidation catalysis
  Co, Ni compounds, 2245
  Ru(II) complex, 2963
Alkene complexes
  molybdenum, 1773
Alkoxides
  aluminium, 1045
  barium, 1181,3323
  cadmium, 1181
  copper(II), 1039,1801
  gallium, 2831
  lanthanides, 1,539,927,1181,
    1927
  lead, 45,1181

lithium, 1181
magnesium, 1045,1181
molybdenum(II), 2117
molybdenum(III), 2035
nickel(II), 1907
niobium, 1181
phosphorus(V), 2887,3091
potassium, 709
silicon, 1123
sodium, 709
tin(IV), 2223
titanium(IV), 743,927,1123, 1181
tungsten(III), 2035
zinc, 709
zirconium(IV), 1123,1181
Alkyls
aluminium, 3299
antimony(III), 365,2471,2531
As(III), Bi(III), 365
cadmium, 3059
gallium, 1149,2831
germanium, 915,3039
gold, 1233
indium, 199,625,2367
manganese(I), 2301
mercury, 2695
platinum, 1233,2501,2907
rhodium(III), 1101,1563,2367
ruthenium(II), 1101
silicon, 1123
tellurium(II), 1253
thallium, 1805
tin(IV), 19,938,1705,1835, 2049,2569,2809,2953,3159
zirconium, 2231
Alkylamides
aluminium, 3299
hafnium, 1169
lanthanum, lithium, 3229
niobium, tantalum, 1169
titanium(IV), 181,1169,1329
tungsten(VI), 2443
vanadium, 1169
ytterbium, yttrium, 3229
zirconium, 1169
Alkylarsenide complexes
gallium, 1149
Alkylidyne complexes
tungsten(VI), 353
Alkylimides
molybdenum(VI), 2899
tungsten(V), 2971
tungsten(VI), 2443,2899
Alkyne complexes
tungsten(II), 2915,3265
Allyls
molybdenum, 525,1773
Allylphosphine complexes
tungsten(V), 2971
Aluminium
alkoxide phenoxide magnesium complexes, 1045
alkylamide alkylarsenide methyls, 3299
amine borohydride ether hydride complexes, 2401
deposition, 1112
diketonates, 2825
halide silylphosphine complexes, 2737
nitrides, 1169
phosphide, 1131
Amidate
rhenium(III), 807
Amide complexes
cobalt(II), 2319,2537
copper(I,II), 2793
copper(II), 891,2319,2537
iron(II), 2391
lanthanum, 319
molybdenum(II), 193
molybdenum(VI), 3243
nickel(II), 891,2537
palladium(II), 3099
phosphorus, 2629
thorium, uranium(VI), 957
zinc, 27,2391,2537
Amidine complexes
Co(II),Fe(II),Pt(II), 815
ruthenium(I), 175
Amidinoalkylurea complexes
cobalt(III), 2591
Amidopyridine complexes
gold(III), 2073
Amidrazone complexes
tungsten(VI), 301
Amine complexes
aluminium, 2401
boron, 2599
cobalt(II),(III), 2639
cobalt(III), 463,2483
copper(II), 203,553,771,783, 891,1647,2933
iron(III), 2343
lead(II), 15
manganese(II), 2639
nickel(II), 891,2277
palladium(II), 2291
platinum(II), 2291,2583
rhenium(V), 701
rhodium(II), 2933
silver, 2467
Aminoacid complexes
chromium(III), 333
cobalt(III), 1027,2185,2591

copper(II), 1495
iron(III), 1523
lanthanides, 2333,2957,2993
manganese(III,IV), 2251
nickel(II), 1495
uranium(VI), 861
vanadium(IV), 3177
vanadium(V), 861
yttrium, 2333
zinc, 1495
Aminoalkoxides
barium, 2163
lanthanum, 1181
lead(II), 15
4-Aminoantipyrine derivatives, complexes, Ru(III), 1781
3-Amino-*i*-butyrates
La, Pr, 2993
2-Aminoethanol Schiff base complexes, nickel(II), 1907
2-Aminoethyl(carboxymethyl)-glycine complexes
cobalt(III), 2477
1-Amino-2-methoxycyclo-butenedionates, lead(II), 45
2-Aminomethylpyridine complexes
Cu(II), Rh(II), 2933
2-Amino-4-methylthiolbutanol complexes, Pd, Pt, 659
Aminooxamide complexes
copper(II), 475
2-Aminophenol Schiff base complexes, Cu, Ni, 1907
Aminophenoxides
platinum(II), 261
Aminophosphine complexes
Fe(II), Ru(II), 2923
Aminopolycarboxylates
chromium(III), 1051
cobalt(II), 1981
cobalt(III), 1963
copper(II), 3041
nickel(II), 1981
vanadium(IV), 1763
vanadium(V), 1587
Aminopolyetherpolycarboxylates
lanthanum, 2193
2-Aminopyrazine complexes
ruthenium(II,III), 2647
4-Aminopyridine complexes
nickel(II), 2763
Aminosilylamides
thorium, uranium(IV), 1651
Aminothioether complexes
Pd(II), Pt(II), 659
Aminothiophenoxides
tin(IV), 2223
Aminotricarboxylates
holmium, 113
neodymium, 109
Ammonia complexes
chromium(III), 151
cobalt(III), 2483
copper(II), 221,825
iron(III), 2473
lanthanides, 1
molybdenum(II), 193
osmium(III), 2337
ruthenium(II), 133
ruthenium(III), 1875,2337
Aniline polymerization, 1311
Antimony(III)
alkyl ether halide selenoether thioether complexes, 365
dithiophosphinate methyl, 2531
iodide complex, 1655
methyl oxo trinuclear cation, 2471
nickel(0) complexes, 2525
Antimony(V)
chloride cyanoborane complexes, 2599
Arene complexes
ruthenium(II), 1101
Aroylhydrazone complexes
nickel(II), 517
Arsenic complexes
cobalt, 1159
Arsenic(III)
alkyl ether halide selenoether thioether complexes, 365
Arsenic(V)
in heteropolytungstates, 1057
Arsenides (inorganic)
cobalt, 1159
Arsenides (organo)
aluminium, 3299
Arsine complexes
cobalt, 1159
indium, 625
ruthenium(II), 689
Aryls
cadmium, 3059
mercury, 2689
phosphorus(V), 2605
silicon, 2451
tellurium(II), 2855
tin(IV), 19,1705,1835,2217, 3159
Arylamides
iridium(II), 919
molybdenum(II), 2107
neodymium, 1695

tungsten(II), 2107
tungsten(VI), 1267
ytterbium, 1023
Arylazooxime complexes
ruthenium(II), 77
Arylazopyridine complexes
palladium(II), 999
5-Arylazosalicylaldehyde complexes, tin(IV), 2217
Arylimides
chromium(III), 485
2-Arylpyridinecarboxaldimine complexes, Co,Fe,Ni, 1063
Ascorbic acid, reaction with Cu complex, 2659
Asparagine complexes
cobalt(III), 1027
Auger spectra
cobalt arsenide, phosphide, 1159
Aza crown complexes
palladium(II), 2135
Azides
cobalt(III), 3127
copper(II), 783,1801,2141, 2149
neodymium, 1069
sodium, 2149
Azole complexes
cadmium, 1553,1661
copper(II), 825,891,1583, 1801,2259,2929
iron(II), 2639
iron(III), 1005
mercury, 1553
nickel(II), 891,1593,3219
palladium, platinum(II), 2025
rhodium(I), 2463
ruthenium(I), 3243
zinc, 1553,1583
Azophenol complexes
manganese(III),(IV), 1811
Azopyridine complexes
palladium(II), 999
Azoxybenzene deoxygenation catalysed by molybdenum(VI) complexes, 3257

B

Barium
alcohol alkoxide diketonate titanium complex, 1181
alkoxide ether hydroxide water complex, 3323
aminoalkoxide diketonate hydroxide complexes, 2163
cyclopentadienyl ether silylamide complexes, 2417
diacetylpyridine Schiff base hexadentate complex, 2125
diketonate water complex, 2459
tartrate water vanadium(IV) complex, 357
Benzamide, benzanilide complexes, rhenium(III), 807
Benzenes, reactions with M^+ ions, 409
Benzene-1,2-dioxyacetates
copper(I), 2359
copper(II), 221
Benzenethiolates
iron(II), 667
molybdenum(0),(I), 667
Benzimidazole complexes
copper(II), 825
Benzimidazolinethione complexes
copper(I), 3119
Benzoates
ruthenium(I), 3243
tantalum(V), 2265
Benzonitrile complexes
platinum(II), 2583
Benzothiazole, reaction with tin(II) chloride, 2223
Benzoxazolinethione complexes
copper(I), 3119
Benzoyls
manganese(I), 2301
Benzoylthiourea complexes
copper(II), 3277
Benzthiazolinethione complexes
copper(I), 3119
Benzyls
tin(IV), 2809
Beryllium
diketonates, 2825
Betaine complexes
calcium, copper(II), 1087
mercury, 3333
Bicyclohepta-2,5-diene complexes, Rh(I), 1575, 2463
2,2'-Biimidazole complexes
thorium, uranium(VI), 559
1,1'-Biisoquinoline complexes
ruthenium(II), 2963
Binucleating complexes
copper(II), 891,1801
manganese(II), 683
nickel(II), 891
Biodistribution studies, gadolinium polyaminopolyphosphonate water complexes, 1937

2,2'-Bipyrazine complexes
Os(II), Ru(II), 1817
2,2'-Bipyridyl-3,3'-dicarboxylates, manganese(II), 2157
2,2'-Bipyrimidine complexes
Os(II), Ru(II), 1817
2,2'-Biquinoline complexes
Pd(II), Pt(II), 281
Bis(aminoethyl)glycine complexes, Co(III), 2477
Bis(2-aminoethyl)oxamide complexes
copper(II), 475,1647,2881
lanthanides, 475
Bis(2-aminophenyl)disulfide Schiff base complexes, cadmium, 1735
Bis(3-aminopropyl)oxamide complexes, Cu(II), 783,2543
2,6-Bis(benzimidazolyl)pyridine complexes, cadmium, 1661
1,2-Bis(diethylphosphino)ethane complexes, Cd, Zn, 2715
2,2-Bis(dimethylaminomethyl)-propane complexes, zinc, 1997
Bis(diphenylphosphine selenide)methane complexes
Rh(III), Ru(II), 1101
Bis(2-diphenylphosphinobenzyl)-ethylenediamine complexes
ruthenium(II), 2751
1,4-Bis(diphenylphosphino)-butane complexes
ruthenium(II), 2751
1,2-Bis(diphenylphosphino)-ethane complexes
iron(II), 117
molybdenum(0), 241
molybdenum(IV), 3341
palladium(II), 3099
rhodium(I),(III), 1563
ruthenium(II), 1887,2751
tungsten(II), 2915
tungsten(IV), 3341
1,2-Bis(diphenylphosphino)-ethene complexes
ruthenium(II), 1887
Bis(2-diphenylphosphinoethyl)-sulfoxide complexes
Pd, Pt(II), 3253
1,1'-Bis(diphenylphosphino)-ferrocene complexes
ruthenium(II), 1887
Bis(2-diphenylphosphinoethyl)-(phenyl)phosphine complexes
molybdenum(0), 241
molybdenum(II), 525
tungsten(II), 525
1,6-Bis(diphenylphosphino)-hexane complexes
tungsten(II), 2915
Bis(diphenylphosphino)methane complexes
copper(I), 2431
gold(I), 887,2431
nickel(0), 2431
rhenium(II),(III), 457
rhodium(I),(III), 1563
ruthenium(II), 1887,2751
tungsten(II), 2915,3265
1,5-Bis(diphenylphosphino)-pentane complexes
tungsten(II), 2915
1,3-Bis(diphenylphosphino)-propane complexes
ruthenium(II), 1887,2751
tungsten(II), 2915
Bis(methylacetamido)glycinates
Co, Cu, Ni, Zn, 253
Bis(4-methylpyrazolyl)methane complexes, Cd,Hg,Zn, 1553
1,2-Bis(methylseleno)ethane complexes, ruthenium(II), 881
1,2-Bis(methyltelluro)benzene complexes, ruthenium(II), 881
Bismuth(III)
alkyl ether halide selenoether thioether complexes, 365
dithiophosphinate, 547
nickel(0) complexes, 2525
1,2-Bis(phenylseleno)ethane complexes, ruthenium(II), 881
1,3-Bis(phenylsulfinyl)propane complexes, lanthanides, 1881
Bis(pyrazolone)pentanedionates
lanthanides, yttrium, 3317
Bis(pyridylmethyl)glycine complexes, Mn(III,IV), 2251
2,3-Bis(pyridyl)pyrazine complexes, Co,Mo,Ni, 713
Bis(trimethylsilyl)amides
barium, 2417
neodymium, 539
Bis(trimethylsilyl)phosphides
cadmium, 1131
Bisulfite, reaction with HNO_2, 2983
Book reviews
cluster chemistry, 2589
iron carbene complexes, 859
iron chemistry, 163
magnetochemistry, 1659
Borane
cyano, 2599

cyanotrihydroborate complex, 2353
Borazines
Al, Si, Zr derivatives, 1225
Borides, metalloorganic
precursors for, 1117
Borohydrides
aluminium, 2401
germanium, tin, 247
Boron
chloride cyanamide complexes, 2211
nitride, 1225,2211
Bromanilates
copper(II), 933
Bromides
aluminium, 2737
antimony, arsenic, bismuth(III), 365
cadmium, 1553
cobalt(0,I), 103
cobalt(II), (II,III), 2639
copper(I), 3119
copper(I,II), 2793
copper(II), 267,435,1801
manganese(I), 2301
manganese(II), (II,III), 2639
manganese(III), 1547
mercury, 777,1553,1669,3333
molybdenum(II), 635,975,1669
molybdenum(VI), 3257
nickel(II), 1593
palladium(II), 659,1917,2025
phosphorus, 1517,2629
platinum(II), 659,2025
platinum(IV), 2501,2907
rhenium(II),(III), 457
ruthenium(II), 77,881,2999
ruthenium(III), 2671
thorium, 957
tin(IV), 938
tungsten(II), 635,2915,3265
tungsten(III),(V), 2971
tungsten(VI), 353,2899
uranium(VI), 957
zinc, 1553,1997
Bromine, complexes with
diarylditellurides, 2855
3-Bromopentanedionates
Al,Be,Co,Cr,Fe,V, 2825
1-Butene complexes
molybdenum, 1773
Butoxides
aluminium, 1045
gallium, 2831
magnesium, 1045
molybdenum(III), 2035
neodymium, 539
potassium, sodium, 709
tungsten(III), 2025
zinc, 709
Butyls
cadmium, 3059
gallium, 2831
germanium, 3039
tin(IV), 2809,2953,3159
t-Butylacetacetates
copper(II), 2017
t-Butylcyclopentadienyls
chromium(0), 2179
lanthanum, 2979
molybdenum(0), 2179
tungsten(0), 2179,3235
ytterbium, 1023
t-Butylimides
molybdenum(VI), 2899
tungsten(V), 2971
tungsten(VI), 2899
4-Butylphenoxides
cadmium, 3023
4-Butylpyridine complexes
palladium(II), 1609
t-Butylthiolates
indium, 2797
2-Butyne complexes
tungsten(II), 3265

C

Cadmium(I)
ion, reactions with benzenes, thiols, 409
Cadmium(II)
acetylferrocenyl hydrazone complexes, 57
alkoxide carboxylate niobium complex, 1181
alkyl aryl pyrazolylborates, 3059
azole carboxylate chloride nitrate pyridine complexes, 1661
azole carboxylate halide nitrate complexes, 1553
carboxylate thioamide water complex, 1095
chloride thiophenoxide complex, 3023
diimine salicylaldimine thiophenoxide complexes, 1735
diphosphine dithiocarbamate zinc complexes, 2715
dithiocarbamates, 983
hydroxide phosphonate water complex, 847

iodide triamine complexes, 1989
phosphide, silylphosphide, 1131
pyrazolylborate, 2173
triamine complexes, 993
xanthate complexes, 2801
Calcium
betaine copper(II) complex, 1087
diacetylpyridine Schiff base hexadentate complex, 2125
hydroxyapatite, 3071
Camphorquinoneoxime complexes
ruthenium(II), 2665
Camphorsulfonates
lanthanides, 2095
Capped octahedral structures, isomerism, 417
Carbaborane complexes
molybdenum, 1773
Carbides
hafnium, 1315
metalloorganic precursors, 1117
Nb,Ta,Ti,V,W,Zr, 1315
Carbinols
germanium, 915
Carbohydrate complexes
chromium(III), 1895
molybdenum(VI), 1825
zinc, 909
Carbonates
cobalt(II), 3269
zinc, 3085
Carbonyls
chromium(0), 1741,2179,2337
cobalt, 389,851,1159
cobalt(0), 723,3235
cobalt(0,I), 103,723
iridium(II), 919
iron, 389,851,2893
iron(II), 1689,2923
manganese(I), 1277,2301,2555
molybdenum, 389,1773
molybdenum(0), 227,667,713, 975,1875,2179,2337,2445, 3235
molybdenum(I), 667,1835
molybdenum(II), 39,525,635, 975,1689,3309
molybdenum(IV), 975
nickel(0), 723,727,2431,2525
osmium, 3285
rhenium(0,I), 1945
rhenium(II),(III), 457
rhodium(I), 1077,1563,2507
rhodium(III), 1563
ruthenium(0,I), 1945,2085
ruthenium(I), 175,3243
ruthenium(II), 689,1887,2555, 2923
ruthenium(IV), 167
tungsten(0), 1875,2179,2337, 3235
tungsten(II), 525,635,2915, 3265
Carboxylates
cadmium, 1087,1095,1553,1661
cobalt(II), 951,2537
copper(I), 2359
copper(II), 1087,1095,1631, 1801,1907,2149,2537,2933, 3111
erbium, 2957
gadolinium, 1181
holmium, 113
iron(II), 951
iron(III), 2343
lanthanum, 573,2993
lead, 1181
magnesium, 1181
manganese(II), 951,1095,2157
mercury, 1553
molybdenum(IV), 3341
neodymium, 109
nickel(II), 1095,1907,2537
niobium, 1181,2265
praseodymium, 2993
rhodium(I), 655,1563,1575
rhodium(II), 2933
rhodium(III), 1563
ruthenium(I), 3243
ruthenium(II), 2751,2999
ruthenium(II,III), 2647
ruthenium(III), 3079
silver, 2425
sodium, 2149
tantalum(V), 2265
thallium(III), 3031
titanium(IV), 1181
tungsten(IV), 599,3341
uranium(VI), 559,2945
zinc, 903,2079,2537,3329
zirconium, 1181
Carboxyphenylazopyrimidine complexes
copper(II), 203
Carboxylic acid complexes
ruthenium(I), 175
Catalase activity, manganese(III,IV) bis(pyridylmethyl)glycine oxo complex, 2251
Catechol oxidation catalysed by Cu(II) complexes, 2379

Catecholates
  germanium, 3261
  iron(III), 591
  palladium(II), 291
  platinum(II), 261,291
  tungsten(VI), 1267
Cerium(III)
  camphorsulfonate, 2095
  chloride ether complex, 2679
  disulfoxide perchlorate water complex, 1881
  heteropolytungstate complex, 1057
  phenanthroline thiocyanate water complex, 3199
  polyaminopolycarboxylates, 567
Cerium(IV)
  diketonate, 1747
Chemical beam epitaxy
  GaAs, 1149
Chirality
  cobalt(III) aminopoly-carboxylates, 1963
  lanthanide camphorsulfonates, 2095
  molybdenum(II) arylamide halide nitrosyl pyrazolyl-borate complexes, 2117
  vanadium(IV) histidine oxo thiocyanate complexes, 3177
Chloranilates
  copper(II), 933
Chlorides
  aluminium, 2737
  antimony(III), 365
  antimony(V), 2599
  arsenic(III), 365
  bismuth(III), 365
  boron, 2211
  cadmium, 1553,1661,3023
  cobalt(0,I), 103
  cobalt(II), 799,815,2319, 2639,3295
  cobalt(II,III), 2639
  cobalt(III), 2477
  copper(II), 345,435,771,799, 891,2319,3111,3209,3295
  gallium, 251,3053
  gold(III), 2073
  indium, 199,2731,3053
  iridium(I), 1077
  iron(II), 815,2319,3147
  iron(III), 1005,2659,3005
  lanthanides, 319,539,2679, 2867,2979,3027
  lithium, 539,2979
  manganese(II), (II,III), 2639
  manganese(III), 765,1539
  mercury, 559,777,1553,1669, 2689,3295,3333
  molybdenum, 2615
  molybdenum(I), 1835
  molybdenum(II), 39,525,635, 1669,2107,2117,3309
  molybdenum(III), 3171
  molybdenum(IV), 975,3171
  molybdenum(VI), 2745,2899, 3257
  nickel(II), 1593,2129,3219, 3295
  niobium(V), 2265
  osmium(IV), 339
  palladium(II), 659,675,777, 999,1609,1853,1917,2025, 2129,2135,2291,3063,3099, 3253,3295
  phosphorus, 1517,2605,2629
  platinum(II), 659,777,815, 1077,1853,2025,2129,2291, 2583,3253
  platinum(IV), 209,2501,2907
  rhenium(II), 457
  rhenium(III), 457,807
  rhodium(I), 1077,2507
  rhodium(III), 1101
  ruthenium(II), 77,451,689, 881,1101,1887,2555,2671, 2963,2999,3063
  ruthenium(III), 1781,2671
  ruthenium(IV), 167
  sodium, 3027
  tantalum(V), 2265
  thorium, 957,1651
  tin(II), 3309
  tin(IV), 19,903,938,1705, 1835,2049,2067,2217,2223, 2563
  titanium(III), 3063
  titanium(IV), 181,743,1105, 2049
  tungsten(II), 2107,3265
  tungsten(VI), 1267,2899
  uranium(IV), 1651
  uranium(VI), 559,957,2945
  vanadium(IV), 1715,2049
  yttrium, 375
  zinc, 27,1553,1997,2319
  zirconium, 743,2231
4-Chlorobenzoates
  tantalum(V), 2265
3-Chloro-2,4-pentanedionates
  nickel(II), 281
4-Chlorophenyls
  phosphorus(V), 2605
4-Chlorophenylimide complexes

chromium(III), 485
Chlorosulfates
tin(IV), 2953
Cholesteryl complexes
molybdenum(II), 2117
Chromium(0)
carbonyl cyanide hetero-metallic complexes, 2337
carbonyl cyclopentadienyl mercury complexes, 2179
carbonyl diazene hydride nitrosyl phosphine sulfonate complexes, 1741
Chromium(II)
hexacyanoferrates, 1619
Chromium(III)
ammine cyanide diamine iron(II) complexes, 155
arylimide porphyrin hetero-metallic complexes, 485
carbohydrate hydroxide complexes, 1895
dicarboxylate hydroxide oxo tetramine complexes, 737
diketonates, 2043,2825
Eriochrome nitrilotriacetate thiocyanate water complexes, 1051
hexacyanoferrates, 1619
ketobutyric acid thiosemi-carbazone complex, 395
lithium oxide, 1301
oxalate complex, 1625
penicillamine complexes, 333
Chromium(IV)
arylimide porphyrin complexes, 485
Cinchonine complexes
molybdenum(VI), 3153
Cinnamates
copper(II), 1631
Cluster chemistry, book review, 2589
Cobalt
arsenic arsine carbonyl nitrosyl phosphine phosphorus complexes, 1159
arsenide, 1159
carbonyl thio heteropoly-metallic complexes, 389,851
hexaphosphorus triphosphine platinum(II) complex, 3045
metal, 1233
phosphide, 1159
Cobalt(0)
carbonyl heterometallic complexes, 3235
carbonyl phosphine nickel(0) complex, 723
Cobalt(0,I)
carbonyl halide hydride phosphine complexes, 103
carbonyl hydride phosphine complex, 723
Cobalt(II)
acylferrocenyl hydrazone complexes, 57,2395
acylthiazolylthiourea chloride compounds, 3295
amide carboxylate complex, 2537
amine halide phenoxide binucleating complexes, 2639
aminopolycarboxylate diimine thiocyanate complexes, 1981
carbonate hydroxide complex, 3269
carboxylate phenoxide copper(II) complex, 951
chloride diamidediimine macrocyclic complexes, 2319
chloride tetrapeptide macrocyclic complex, 799
cyclopentadienyl phosphonate heterometallic complexes, 3053
diimine diketonate molybdenum(0) complexes, 713
diketonates, 2245,2825
furan Schiff base thioether pentadentate macrocyclic complexes, 791
heteropolytungstate complexes, 2421
hydrazone complex, 2101
hydroxycarboxylate water complexes, 143
nitrate pyridone complex, 187
peptide complexes, 2683
phosphinotricarboxylate complex, 2847
pyrazolylborate, 2173
pyridine Schiff base complexes, 1063,2659
Cobalt(II,III)
amine halide phenoxide binucleating complexes, 2639
Cobalt(III)
amidinoalkylurea aminoacid complexes, 2591
amine ammonia diketonate complexes, 2483
amine azide complexes, 3127
amine nitrite thioether tetradentate complex, 463
aminoacid hydroxide peroxide

superoxide complexes, 1027
aminopolycarboxylates, 1963
chloride dioxime pyridine complexes, 1793
chloride polyaminocarboxylate water complexes, 2477
diamine dicarboxylate complexes, 1625
diamine nitrite complex, 165
diaminodicarboxylate water complex, 63
diketonates, 2825
dithiocarbamates, 983
glycine phenanthroline water complexes, 2185
ketobutyric acid thiosemicarbazone complex, 395
Controlled potential coulometry
lanthanide heteropolytungstates, 1057
Copper
deposition, 1112
metal, 1233
Copper(I)
bromide phosphine thione complexes, 3119
carboxylate phosphine complex, 2359
cyanoborohydride diphosphine nitrile nickel(0) complexes, 2431
phenanthroline Schiff base complexes, 2327
Copper(I,II)
bromide dimethylformamide water complex, 2793
Copper(II)
acetate aminomethylpyridine complex, 2933
acylferrocenyl hydrazone complexes, 57,2395
acylthiazolylthiourea chloride compounds, 3295
alkoxide azide azole bromide carboxylate pyridine-*N*-oxide Schiff base binucleating complexes, 1801
alkoxide diketonate, 1039
amide amine azole chloride pyridine binucleating complexes, 891
amide carboxylate complex, 2537
amine chloride pyridine macrocyclic complex, 771
amine diimine oxamide complexes, 1647
aminooxamide azide imidazole perchlorate complexes, 783
aminooxamide lanthanide complexes, 475
amine oxime sulfate complex, 553
ammonia dicarboxylate diimine pyridine water complexes, 221
azide lutidine complexes, 2141
azide picolinate sodium complex, 2149
azole phthalocyanine iron(II) complex, 2259
azole pyridine terpyridine tetrafluoroborate water complexes, 825
azole triamine zinc complex, 1583
benzoylthiourea compounds, 3277
betaine calcium complex, 1087
bromide phenanthroline complex, 267
carboxylate chloride perchlorate salicylaldimine thiocyanate complexes, 3111
carboxylate oxime phenoxide Schiff base nickel(II) complexes, 1907
carboxylate pyridine water complexes, 1631
carboxylate thioamide water complex, 1095
carboxyphenylazopyrimidine dipyridylamine complexes, 203
chloride ethoxycyanopyridine complex, 345
chloride diamidediamine macrocyclic complexes, 2319
chloride pyridylquinoxaline complex, 3209
chloride tetrapeptide macrocyclic complex, 799
cytosine complex, 2513
diamine diketonate complex, 2379
diamine nitrate complex, 2285
diamine tetraacetylethane complex, 2861
diamine water complex, 1095
diaminooxamide dicarboxylate, 2543
diaminopyridine halide nitrate complexes, 435
dicarboxylate diimine water complex, 1951

diimine methanol quinone
complexes, 933
diimine oxamide complexes,
2881
diketonates, 469,2825
diketonate pyridine
complexes, 2017
ethanediol complex, 2767
ether phenanthroline - Schiff
base phenol thioether
complexes, 2327
furan Schiff base thioether
pentadentate macrocyclic
complexes, 791
hydrazide hydrazone
thiocyanatye thallium(I)
complexes, 529
hydrazone complex, 2101
hydroxide nitrilotriacetate
complexes, 3041
nitrate tetrazole water
complex, 2929
pentamine complex, 1583
phenoxide tetramine pendant
macrocyclic complex, 759
porphyrins, 1863
pyrazolylborate, 2173
pyridine Schiff base
complexes, 2659
salicylaldimine heteromet-
allic complexes, 951,2615
salicylglycine complexes,
1495
sebacate, 1859
theophylline water complex,
307
triamine complexes, 993
zirconium phosphate, 1311
Copper(III)
periodate, tellurate
complexes, 2489
Crown aza ligands
palladium(II), 2135
Crown ether complexes
europium, 313
lead, 2549
uranium(VI), 1725
vanadium(IV) chloride oxo
water complex, 1715
Crown ether dioxime complexes
copper(II), 1801
Cryptate complexes
lanthanum, 319
silver, 2467
Cyanamide complexes
boron, 2211
Cyanates
vanadium(IV), 1701
Cyanides
boron, 2353,2341,2599
chromium(0), 2337
chromium(II), 1619
chromium(III), 151,1619
mercury, 1553
iron(II), 151,1015,1619
iron(III), 479,1619
molybdenum(0), 2337
manganese(II),(III), 479,1619
manganese(IV), 479
molybdenum(0), 1875
molybdenum(III), 2035
molybdenum(V), 3147
osmium(III), 2337
osmium(VI), 717
phosphorus(V), 2605
ruthenium(III), 1875,2337
thallium(III), 403
tungsten(0), 1875,2337
tungsten(III), 2035
tungsten(IV), 599,1755
tungsten(V), 1755
Cyanoacetylurethane complexes
palladium(II), 3099
Cyanoborane
amine phosphine antimony(V)
complexes, 2599
Cyanogen bromide, iodide,
reactions with metal
diketonates, 2825
3-Cyanopentanedionates
Co,Cu,Fe,Mg,Ni,V, 2825
Cyanopyridinium complexes
ruthenium(II), 133
Cyanotrihydroborate, 2353
copper(I) complex, 2431
Cyclam, cyclen complexes
cobalt(III), 2483
Cyclic voltammetry
binucleating complexes
(Co,Fe,Mn), 2639
chromium(III) carbohydrate
hydroxide complexes, 1895
chromium(III) dicarboxylate
hydroxide oxo tetramine
complexes, 737
chromium(III) ketobutyric
acid thiosemicarbazone
complexes, 395
cobalt(II) chloride
tetrapeptide macrocyclic
complex, 799
cobalt(II) hydrazone complex,
2101
cobalt(II) pyridine Schiff
base complexes, 1063
cobalt(III) ketobutyric acid

thiosemicarbazone complexes, 395
copper(I) carboxylate phosphine complex, 2359
copper(II) benzoylthiourea compounds, 3277
copper(II) chloride tetrapeptide macrocyclic complex, 799
copper(II) dicarboxylate phenanthroline complex, 221
copper(II) hydrazone complex, 2101
copper(II) phenoxide tetramine pendant macrocyclic complex, 759
copper(II) porphyrins, 1863
copper(II) salicylaldimine molybdenum complexes, 2615
copper(III) periodate, tellurate complexes, 2489
cyanide heterometallic complexes, 2337
heteropolytungstate complexes (Co,Fe,Ga,Mn,Ni), 2421
iron(II) chloride thio Mo(V) cubane complexes, 3147
iron(II) cyclopentadienyls, 385
iron(II) cyclopentadienyl diphosphine disulfide ether phosphine pyridine sulfenamide complexes, 117
iron(II) semiquinone complex, 497
iron(III) chloride thiosemicarbazone complexes, 3005
iron(III) pyridine Schiff base complexes, 1063
lanthanide heteropolytungstates, 1057
manganese(II) phenoxide polyamine binucleating complex, 683
manganese(III) azophenol salicylaldimine complexes, 1811
manganese(III) chloride perchlorate peroxide salicylaldimine complexes, 1539
manganese(III) salicylaldimine thiocyanate complexes, 2387
manganese(III,IV) bis(pyridylmethyl)glycine oxo complex, 2251
molybdenum chloride nitrosyl phenoxide pyrazolylborate copper(II) complexes, 2615
molybdenum(0) carbonyl cyanide ruthenium(III) complexes, 1875
molybdenum(0) nitrosyl pyrazolone Schiff base complexes, 2653
molybdenum(II) arylamide halide nitrosyl phenoxide pyrazolylborate complexes, 2107
molybdenum(IV) acetate diphosphine hydride complex, 3341
molybdenum(V) cyanide oxalate thio iron(II) cubane complexes, 3147
molybdenum(V) hydroxide oxo phthalocyanine complex, 215
nickel(II) tetramine macrocyclic complexes, 2061
nickel(II) tetramine macrocyclic ruthenium(II) complex, 325
osmium(II) diimine complexes, 1817
rhenium(II),(III) carbonyl diphosphine halide thio thiocarbonyl complexes, 457
ruthenium(II) alcohol dicarboxylate diimine diketonate halide phosphine complexes, 2671
ruthenium(II) aminopyrazine edta sulfoxide complexes, 2647
ruthenium(II) ammine cyanopyridinium complexes, 133
ruthenium(II) arsine carbonyl chloride phosphine complexes, 689
ruthenium(II) arylazooxime halide phosphine complexes, 77
ruthenium(II) camphorquinoneoxime dipyridyl complex, 2665
ruthenium(II) chloride semiquinone terpyridine water complexes, 451
ruthenium(II) diimine complexes, 1817
ruthenium(II) diimine terpyridyl water complex, 2963
ruthenium(II) dipyridyl nickel(II) complex, 325
ruthenium(II) diselenoether

ditelluroether halide complexes, 881
ruthenium(II) halide hydroxide phosphine picolinate water complexes, 2999
ruthenium(II,III) acetate aminopyrazine edta oxo complexes, 2647
ruthenium(III) aminoantipyrine chloride complexes, 1781
ruthenium(III) ammine cyanide heterometallic complexes, 1875
ruthenium(III) carboxylate diamine oxo phosphine complex, 3079
tin(IV) chloride hydroxide phthalocyanins, 2067
tungsten(0) carbonyl cyanide Ru(III) complexes, 1875
tungsten(II) arylamide chloride nitrosyl phenoxide pyrazolylborate complexes, 2107
tungsten(IV) carboxylate diphosphine hydride complexes, 3341
tungsten(IV),(V) cyanide diimine complexes, 1755
tungsten(VI) alkylidyne bromide pyrazolylborate, 353
vanadium(IV) dioxygen ketoimine oxo salicylaldimine complexes, 2205
zinc porphyrins, 1863
Cyclohexanediaminetetraacetates
Pd(II), Pt(II), 1853
vanadium(IV), 1763
Cyclohexene, hydrogenation catalysed by ruthenium(II) complexes, 1887
Cyclohexyldiphenylphosphine complexes, tungsten(II), 2915
Cyclometallated complexes
palladium(II), 1609,3099
Cyclooctadiene complexes
iridium(I), 1077
Pd(II), Pt(II), 261
rhodium(I), 609,655,1077
Cyclooctatetraene complexes
dysprosium, 1927
Cyclopentadienyls
barium, 2417
chromium(0), 2179
cobalt(II), 3053
hafnium, 2231
iron(II), 117,385,1689,2923
iron(III),1677
lanthanides, 375,1023,1695, 2867,2979,3027
molybdenum, 389,2179,3235
nickel(0), 2525
rhodium(III), 1101
ruthenium(II), 2923
sodium, 3027
titanium(III), 3063
titanium(IV), 743,1091,1105, 2049,3063
tungsten(0), 2179,3235
tungsten(III),(V), 2971
yttrium, 375
zirconium, 743,1105,2231
Cytochrome P-450, aldehyde reactions, 2473
Cytosine complexes
copper(II), 2513

D

Davy reagent methyl, 579
Detergents, solubilisation of Cd xanthate complexes, 2801
Diacetylpyridine Schiff base complexes, Ba, Ca, Sr, 2125
Diallyl complexes
ruthenium(IV), 167
Diamide complexes
lanthanum, 349
Diamine complexes
chromium(III), 155,1625
cobalt(III), 165,1625,3127
copper(II), 1099,2285,2379, 2861
nickel(II), 281,873,2277
palladium(II), 3143
platinum(II), 1233
ruthenium(III), 3079
titanium(IV), 181
zinc, 1997
1,2-Diaminobenzene Schiff base complexes, La, 573
Diaminodicarboxylates
cobalt(III), 63
Diaminodiimine complexes
Co, Cu, Fe, Zn, 2319
Diaminodiphenoxides
rhenium(V), 701
Diaminodipropylamine complexes
Cd, Cu, Zn, 993
1,8-Diamino-3,6-dithiaoctane complexes, Co(III), 463
Diaminonaphthalene Schiff base complexes, Ba, Ca, Sr, 2125

Diaminooxamide complexes
copper(II), 2543
Diaminopolycarboxylates
Pd(II), Pt(II), 1853
ruthenium(II),(II,III), 2647
vanadium(IV), 1763
1,3-Diaminopropane complexes
cobalt(III), 3127
copper(II), 1099
Diaminopyridine complexes
copper(II), 435
Diazene complexes
chromium(0), 1741
Di-*t*-butylarsenides
gallium, 1149
Di-*t*-butylarsine complexes
cobalt, 1159
Dibutyldithiophosphates
nickel(II), 2763
Di-*t*-butylphosphides
iron(0),(I), 2893
Di-*t*-butylphosphine complexes
cobalt, 1159
Di-*t*-butylsemiquinone complexes
ruthenium(II), 451
Dicarboxylates
chromium(III), 737,1625
cobalt(III), 1625
copper(II), 221,1859,1951, 2543
lanthanides, 99,1931
lead(II), 1683
manganese(II), 2157
molybdenum(V), 3147
ruthenium(III), 2671
tungsten(IV), 599
vanadium(V), 695
Dichlorobenzoates
tantalum(V), 2265
1,4-Dichloro-2-butyne complexes
tungsten(II), 2915
Dicyclohexylphosphine complexes
Ni, Pd, Pt, 2129
Diene complexes
iridium(I), 1077
palladium(II), 261
platinum(II), 261
rhodium(I), 609,655,1077, 1575,2463
Diether complexes
sodium, 3027
Diethylamides
Hf, Nb, Zr, 1169
Diethylamine complexes
platinum(II), 2583
Diethyldithiocarbamates
cadmium, 983,2715
manganese(III), 983
nickel(II), 2525
tin(IV), 903
zinc, 2715
Diethylenetriamine complexes
cadmium, 993
cobalt(III), 3127
copper(II), zinc, 993
Diethylenetriaminepentaacetic acid diamide complexes
lanthanides, 567
Diethyl ether complexes
aluminium, 2401
gallium, 251
Diethylphosphonates
cobalt(II), 3053
Diethylsulfide complexes
platinum(II), 2583
Diethyltelluride complexes
manganese(I), 2301
Differential pulse voltammetry
copper(II) salicylaldimine molybdenum chloride nitrosyl phenoxide pyrazolylborate complexes, 2615
Diffusion coefficients
ruthenium(II) ammine cyanopyridinium complexes, 133
Diformylphenanthroline Schiff base complexes
copper(I),(II), 2327
3,4-Dihydroxybenzoic acid complexes,
Pd(II), Pt(II), 291
Diimine complexes
cadmium, 1735
cobalt(II), 713,1981
cobalt(III), 2185,3127
copper(I), 2327
copper(II), 221,267,933,1647, 1951,2327,2881
iron(II), 2259
lanthanides, 99,475,3167, 3199,3317
manganese(III), 765
molybdenum(0), 713
molybdenum(I), 1835
molybdenum(II), 1669
nickel(II), 713,1981,2277
osmium(II), 1817
palladium(II), 291,2291
platinum(II), 291,2291
ruthenium(II), 325,385,1817, 2665,2671,2963
ruthenium(III), 2671
thorium, 559,2945
tin(IV), 19,2569
tungsten(II), 2915
tungsten(IV), 599,1755

tungsten(V), 1755
uranium(VI), 559,2945
vanadium(V), 695
yttrium, 3317
zinc, 273,2079,3085,3329
Diketonates
aluminium, 2825
barium, 1181,2163,2459
beryllium, 2825
chromium(III), 2043,2825
cobalt(II), 713,2245,2825
cobalt(III), 2483,2825
copper(II), 469,1039,2017, 2379,2825
iron(III), 2825
lanthanides, 647,965,1747, 2255,3167
magnesium, 2825
nickel(II), 281,713,2245,2825
rhodium(I), 609
ruthenium(III), 2197,2671
tin(II),(IV), 938
titanium(IV), 1181
vanadium(IV), 2017,2825
vanadium(V), 485
Dimethoxybenzoates
copper(II), 1631
Dimethoxycinnamates
copper(II), 1631
Dimethoxyethane complexes
sodium, 3027
Dimethylacetamide complexes
zinc, 27
Dimethylacetanilide complexes
rhenium(III), 807
Dimethylacetylene complexes
tungsten(II), 2915
Dimethylamides
aluminium, 3299
tantalum, 1169
titanium, 1169,1329
vanadium, 1169
Dimethylaminophenylbipyridine complexes, Pd(II), 2291
Dimethylaminophenylphenanthroline complexes, Pd(II), 2291
1-Dimethylamino-2-propoxides
barium, 2163
Dimethylarsenides
aluminium, 3299
1,1'-Dimethyl-2,2'-biimidazole complexes, Th, U, 2945
2,3-Dimethyl-2,3-butanediolates
tungsten(VI), 2519
2,2-Dimethyldiaminopropane complexes, copper(II), 2285
4,4'-Dimethyl-2,2'-dipyridyl complexes
copper(II), 2881
platinum(II), 3143
Dimethyldisulfide complexes
iron(II), 117
Dimethyldithiophosphinates
antimony(III), 2531
bismuth, 547
Dimethylethylenediamine complexes, Ru(III), 3079
Dimethylformamide complexes
copper(I,II), 2793
lanthanum, 319
molybdenum(II), 193
molybdenum(VI), 2745,3257
Dimethylnorbornene metathesis polymerization, 1267
Dimethyloctanediyl complexes
ruthenium(IV), 167
2,9-Dimethylphenanthroline complexes,
molybdenum(II), 1669
nickel(II), 2277
2,6-Dimethylphenylamides
tungsten(VI), 1267
Dimethyl(phenyl)phosphine complexes,
platinum(II), 261,1501
Dimethylphenylpropargylamine complexes, Pt(II), 2583
4,6-Dimethylpyrimidine-2-thiolates, zinc, 273
Dimethylsulfoxide complexes
molybdenum(VI), 2611,3257
ruthenium(II), 2647
Dimethyltelluride complexes
manganese(I), 2301
3,5-Dinitrocatecholates
platinum(II), 261
Dinitrogen, reduction catalysed by Mo(0) complexes, 241
Dinitrogen complexes
molybdenum(0), 241
Dioxime complexes
cobalt(III), 1793
Dioxygen, electrochemical reduction with V(IV) complexes, 2205
Diphenoxides
titanium(IV), 743
tungsten(VI), 1267
zirconium(IV), 743
Diphenylacetamidinate complexes
ruthenium(I), 175
Diphenylacetylene complexes
tungsten(II), 2915
Diphenylamides
neodymium, 1695
ytterbium, 1023

Diphenylethylenediamine
complexes, nickel(II), 281
4,7-Diphenyl-1,10-
phenanthroline complexes,
Pd(II), Pt(II), 291
Diphenylphosphides
phosphorus, 2629
P-S cage molecules, 1507
Diphenylphosphinocyclopenta-
dienyls, Na, Yb, 3027
1,3-Diphenylpropanedionates
nickel(II), 281
Diphenylthiophosphonates
thallium(III), 1805
Diphosphinates
tin(IV), 3159
Diphosphine complexes
cadmium, 2715
copper(I), 2431
gold(I), 887,2431
iron(II), 117
molybdenum(0), 241
molybdenum(II), 39
molybdenum(IV), 3341
nickel(0), 2431
palladium(II), 3099
rhenium(II),(III), 457
rhodium(I), 609,1563,1575
rhodium(III), 1563
ruthenium(II), 2751
tungsten(II), 2915,3265
tungsten(IV), 3341
zinc, 2715
Diphosphinodiamine complexes
ruthenium(II), 2751
Diphosphinosulfoxide complexes
Pd, Pt(II), 3253
Di-*i*-propylarsenides
gallium, 1149
Dipropylenetriamine complexes
cobalt(III), 3127
2,2'-Dipyridyl complexes
cadmium, 1735
cobalt(II), 1981
copper(II), 933,1647,2881
lanthanides, 3317
molybdenum(II), 1669
nickel(II), 1981,2277
palladium(II), 291
platinum(II), 291
ruthenium(II), 325,385,1887,
2665,2671
ruthenium(III), 2671
tin(IV), 19
tungsten(II), 2915
tungsten(IV), 599,1755
tungsten(V), 1755
vanadium(V), 695
yttrium, 3317
zinc, 273,2079,3085,3329
4,4'-Dipyridyl complexes
cobalt(III), 1793
Dipyridylamine complexes
copper(II), 203
2,2'-Dipyridyl-3,3'-
dicarboxylates, Cu(II), 1951
Disulfide complexes
iron(II), 117
tungsten(VI), 301
Disulfoxide complexes
lanthanides, 1881
Dithiadiphosphetane, 579
1,3-, 1,4-Dithiane complexes
iron(II), 1015
Dithiocarbamates
cadmium, 983,2715
Co, Fe, Mn, 983
nickel(II), 2525
tin(IV), 903
zinc, 2715
Dithiooxalates
Ni, Pd, Pt, 2311,2819
Dithiophosphates
nickel(II), 2763
Dithiophosphinates
antimony(III), 2531
bismuth, 547
lead, 2873
Ditolylformamidine complexes
Co(II),Fe(II),Pt(II), 815
DNA reactivity, chromium(III)
carbohydrate hydroxide
complexes, 1895
Dopamine complexes
iron(III), 591
Dysprosium
alkoxide cyclooctatetraene
ether complex, 1927
camphorsulfonate, 2095
chloride ether complex, 2679
chloride furfurylcyclopenta-
dienyl complex, 2867
cyclopentadienyl tetrahy-
drofuran complex, 375
diimine polyketonate complex,
3317
diketonate porphyrins, 647,
965
disulfoxide perchlorate water
complex, 1881
heteropolytungstate complex,
1057
nitrate complex, 1035
nitrides, 235
oxamide phenanthroline
copper(II) complex, 475

phenanthroline thiocyanate water complex, 3199
phenoxide pyridine Schiff base complex, 2089

E

ECW model, ternary complexes, 2017
EDX analysis, carbides, 1315
EHMO calculations
copper(II) chloride pyridyl-quinoxaline complex, 3209
platinum(II) porphycene, 2563
Electric conductance
acetylferrocene hydrazone complexes, 57
aniline - pyridine-2-aldehyde Schiff base complexes, 2659
cobalt(II) chloride tetrapeptide macrocyclic complex, 799
cobalt(III) amidinoalkylurea aminoacid complexes, 2591
copper(II) amine diimine oxamide complexes, 1647
copper(II) aminooxamide lanthanide complexes, 475
copper(II) bromide phenanthroline complex, 267
copper(II) chloride tetrapeptide macrocyclic complex, 799
copper(II) diamine diketonate complex, 2379
copper(II) diimine oxamide complexes, 2881
copper(II) ether phenanthroline - Schiff base phenol thioether complexes, 2327
furan Schiff base thioether macrocyclic pentadentate complexes (Co,Cu,Ni), 791
iron(II) cyanide thioether complexes, 1015
lanthanide disulfoxide perchlorate water complexes, 1881
lanthanide nitrate complexes, 1035
lanthanide oxamide phenanthroline copper(II) complexes, 475
lanthanide phenanthroline phthalate complexes, 99
manganese(III) azophenol salicylaldimine complexes, 1811
nickel(II) diamine diketonate nitrate complexes, 281
nickel(II) nitrate triazole water complexes, 1593
osmium(II) diimine complexes, 1817
palladium(II) alcohol chloride phosphine telluroether complexes, 777
palladium(II) chloride diaminepolycarboxylate complexes, 1853
palladium(II) halide pyridine thiosemicarbazone complexes, 1917
phenyldithiocyanatophosphine complexes (Ni,Pd,Ru,Ti), 3063
platinum(II) alcohol chloride phosphine telluroether complexes, 777
platinum(II) chloride diaminepolycarboxylate complexes, 1853
ruthenium(II) arylazooxime halide phosphine complexes, 77
ruthenium(II) diimine complexes, 1817
ruthenium(III) carboxylate diamine oxo phosphine complex, 3079
sodium octamolybdate complex, 835
thorium amide halide hydrazone nitrate thiocyanate complexes, 957
uranium(VI) amide halide hydrazone nitrate oxo thiocyanate complexes, 957
vanadium(IV) cyanate hydrazone oxo complexes, 1701
Electrokinetic extraction, Cd xanthate complexes, 2801
Electron microscopy
cadmium phosphide, 1131
cadmium sulfide, 2715
calcium hydroxyapatite, 3071
carbides, 1315
cobalt arsenide, phosphide, 1159
cobalt(II) carbonate hydroxide complex, 3269
indium phosphide, 1131
iron metal, sulfide, 1197
lanthanide nitrides, 235

zinc phosphides, 1131
Electronic materials, precursors, review, 1111
Electronic spectra
acetylferrocenyl hydrazone complexes, 57
acylthiazolylthiourea complexes (Co,Cu), 3295
aniline - pyridine-2-aldehyde Schiff base complexes, 2659
cadmium xanthate complexes, 2801
chromium(III) ammine cyanide diamine iron(II) complexes, 155
chromium(III) carbohydrate hydroxide complexes, 1895
chromium(III) dicarboxylate hydroxide oxo tetramine complexes, 737
chromium(III) ketobutyric acid thiosemicarbazone complex, 395
chromium(III) penicillamine complexes, 333
chromium(IV) arylimide porphyrin complexes, 485
cobalt(II) amide carboxylate complex, 2537
cobalt(II) amine halide phenoxide binucleating complexes, 2639
cobalt(II) carboxylate phenoxide copper(II) complex, 951
cobalt(II) chloride tetrapeptide macrocyclic complex, 799
cobalt(II) heteropoly-tungstate complexes, 2421
cobalt(II) phosphinotricarboxylate complex, 2847
cobalt(II,III) amine halide phenoxide binucleating complexes, 2639
cobalt(III) amidinoalkylurea aminoacid complexes, 2591
cobalt(III) amine azide complexes, 3127
cobalt(III) aminoacid hydroxide peroxide superoxide complexes, 1027
cobalt(III) aminocarboxylates, 1963
cobalt(III) diaminodicarboxylate water complex, 63
cobalt(III) ketobutyric acid thiosemicarbazone complex, 395
copper(II) amide amine azole chloride pyridine binucleating complexes, 891
copper(II) amide carboxylate complex, 2537
copper(II) amine diimine oxamide complexes, 1647
copper(II) aminooxamide azide imidazole perchlorate complexes, 783
copper(II) aminooxamide gadolinium complexes, 475
copper(II) azide lutidine complexes, 2141
copper(II) azide picolinate sodium complex, 2149
copper(II) azole pyridine terpyridine tetrafluoroborate water complexes, 825
copper(II) azole triamine zinc complex, 1583
copper(II) benzoylthiourea compounds, 3277
copper(II) bromide phenanthroline complex, 267
copper(II) carboxylate chloride perchlorate salicylaldimine thiocyanate complexes, 3111
copper(II) carboxylate oxime phenoxide Schiff base water nickel(II) complexes, 1907
copper(II) chloride tetrapeptide macrocyclic complex, 799
copper(II) cytosine complex, 2513
copper(II) diamine diketonate complex, 2379
copper(II) diamine tetraacetylethane complex, 2861
copper(II) diaminooxamide dicarboxylate, 2543
copper(II) diimine oxamide complexes, 2881
copper(II) ether phenanthroline - Schiff base phenol thioether complexes, 2327
copper(II) hydrazide hydrazone thiocyanate thallium(I) complexes, 529
copper(II) hydroxide nitrilotriacetate complexes, 3041
copper(II) porphyrins, 1863
copper(II) salicylaldimine cobalt(II) complex, 951
copper(II) salicylaldimine molybdenum complexes, 2615

copper(II) salicylglycine complexes, 1495
copper(II) sebacate, 1859
copper(II) triamine complexes, 993
copper(III) periodate, tellurate complexes, 2489
cyanide heterometallic complexes (Cr,Mo,W) / (Os,Ru), 2337
diacetylpyridine Schiff base complexes (Ba,Ca,Sr), 2125
diamide diimine macrocyclic complexes (Co,Cu,Fe), 2319
dithiooxalates (Ni,Pd,Pt), 2311,2819
dysprosium diketonate porphyrins, 647,965
europium hexadentate macrocyclic complex, 159
furan Schiff base thioether macrocyclic pentadentate complexes (Co,Cu,Ni), 791
gadolinium oxamide phenanthroline copper(II) complex, 475
gold(I) diphosphine ethynyl complex, 887
gold(III) amidopyridine chloride complex, 2073
holmium nitrilotriacetate picolinate water complexes, 113
hydrazone complexes, 2101, 2395
indium alkyl porphyrins, 2367
iodine - phenylsilane complex, 2451
iron(II) azole methanol phenoxide binucleating complexes, 2639
iron(II) cyanide chromium-(III) complexes, 155
iron(II) cyclopentadienyls, 385
iron(II) cyclopentadienyl diphosphine disulfide ether phosphine pyridine sulfenamide complexes, 117
iron(II) hexamine encapsulated complexes, 1969
iron(II) semiquinone complex, 497
iron(III) amine carboxylate phenoxide complexes, 2343
iron(III) chloride hexamine complex, 1005
iron(III) chloride thiosemicarbazone complexes, 3005
iron(III) dopamine, hydroxyquinolinesulfonate, 591
iron(III) salicylalanine-hydroxamate water complexes, 1523
lanthanide camphorsulfonates, 2095
lanthanide diketonate porphyrins, 647,965,2255
lanthanide dipyridyl polyketonate complexes, 3317
lanthanide disulfoxide perchlorate water complexes, 1881
lanthanide phenanthroline phthalate complexes, 99
lanthanide phenanthroline thiocyanate water complexes, 3199
lanthanide phenoxide pyridine Schiff base complexes, 2089
manganese(II),(II,III) amine halide phenoxide binucleating complexes, 2639
manganese(III) bromide salicylaldimine complex, reaction with O_2^{2-}, 1547
manganese(III) azophenol salicylaldimine complexes, 1811
manganese(III) chloride diimine complex, 765
manganese(III,IV) bis(pyridylmethyl)glycine oxo complex, 2251
manganese(IV) azophenol salicylaldimine complexes, 1811
mercaptoimine tetradentate complexes (Ni,Pd,Pt), 3015
molybdenum chloride nitrosyl phenoxide pyrazolylborate copper(II) complexes, 2615
molybdenum(0) carbonyl cyanide ruthenium(III) complexes, 1875
molybdenum(0) carbonyl diimine phosphine heterometallic complexes, 713
molybdenum(0) nitrosyl pyrazolone Schiff base complexes, 2653
molybdenum(II) amide ammine complexes, 193
molybdenum(II) arylamide halide nitrosyl phenoxide

pyrazolylborate complexes, 2107
molybdenum(III) alkoxide cyanide complexes, 2035
molybdenum(III),(IV) chloride pyridine complexes, 3171
molybdenum(V) hydroxide oxo phthalocyanine complex, 215
molybdenum(V) in sulfuric acid, 1083
molybdenum(VI) methanol oxo Schiff base complexes, 441
molybdenum(VI) oxo salicylhydrazide sulfoxide complex, 2611
neodymium azide complex, 1069
neodymium nitrilotriacetate picolinate water complexes, 109
nickel(II) alkoxide carboxylate oxime phenoxide Schiff base water Cu(II) complexes, 1907
nickel(II) amide amine azole pyridine thiocyanate complexes, 891
nickel(II) amide carboxylate complex, 2537
nickel(II) amine diamine diimine pyridine thiazolinethione complexes, 2277
nickel(II) aroylhydrazone pyridine water complexes, 517
nickel(II) azole chloride ether nitrate thioether complexes, 3219
nickel(II) carboxylate thioamide water complex, 1095
nickel(II) diamine diketonate nitrate complexes, 281
nickel(II) diamine oxamide thiocyanate water complexes, 873
nickel(II) halide methanol nitrate thiocyanate triazole water complexes, 1593
nickel(II) heteropolytungstate complexes, 2421
nickel(II) peptide complexes, 2683
nickel(II) tetramine macrocyclic complexes, 2061
nitrosoalkenes, 675
osmium(II) diimine complexes, 1817
osmium(IV) chloride porphyrin, 339
palladium(II) alcohol chloride phosphine telluroether complexes, 777
palladium(II) azole halide nitrate complexes, 2025
palladium(II) azopyridine chloride phenoxide complexes, 999
palladium(II) catecholate diimine complexes, 291
palladium(II) halide pyridine thiosemicarbazone complexes, 1917
phenyldithiocyanatophosphine complexes (Ni,Pd,Ru,Ti), 3063
platinum(II) alcohol chloride phosphine telluroether complexes, 777
platinum(II) azole bromide perchlorate thiocyanate complexes, 2025
platinum(II) catecholate diimine complexes, 291
platinum(II) porphycene, 2563
rhenium(II) carbonyl diphosphine halide sulfur dioxide thiocarbonyl complexes, 457
rhenium(III) amidate chloride complexes, 807
rhenium(III) carbonyl diphosphine halide thio thiocarbonyl complexes, 457
rhodium(III) alkyl porphyrins, 2367
ruthenium(II) alcohol dicarboxylate diketonate halide phosphine complexes, 2671
ruthenium(II) aminopyrazine edta sulfoxide complexes, 2647
ruthenium(II) ammine cyanopyridinium complexes, 133
ruthenium(II) arsine carbonyl chloride phosphine complexes, 689
ruthenium(II) arylazooxime halide phosphine complexes, 77
ruthenium(II) camphorquinone-oxime dipyridyl complex, 2665
ruthenium(II) chloride semiquinone terpyridine water complexes, 451
ruthenium(II) diimine

complexes, 1817
ruthenium(II) diimine terpyridyl water complex, 2963
ruthenium(II) dipyridyl nickel(II) complex, 325
ruthenium(II) diselenoether ditelluroether halide complexes, 881
ruthenium(II) halide hydroxide phosphine picolinate water complexes, 2999
ruthenium(II,III) acetate aminopyrazine edta complexes, 2647
ruthenium(III) carboxylate diamine oxo phosphine complex, 3079
ruthenium(III) chloride diimine phosphine complexes, 2671
silver(III) ethylene-bis(biguanide)complex, 53
tellurium(II) aryl dihalogen complexes, 2855
tin(IV) chloride diimine methyl complex, 2569
tin(IV) chloride hydroxide phthalocyanins, 2067
tungsten(0) carbonyl cyanide Ru(III) complexes, 1875
tungsten(II) arylamide chloride nitrosyl phenoxide pyrazolylborate complexes, 2107
tungsten(IV) cyanide oxo picolinate complexes, 599
tungsten(IV),(V) cyanide phenanthroline complexes, 1755
tungsten(VI) amidrazone disulfide oxo complexes, 301
vanadium(IV) chloride hydroxide oxo salicylaldimine complexes, 2049
vanadium(IV) diaminopolycarboxylate oxo complexes, 1763
vanadium(IV) histidine oxo thiocyanate complexes, 3177
vanadium(IV) oxo phenoxide salicylaldimine complexes, 2495
vanadium(IV) oxo tartrate water barium complex, 357
zinc porphyrins, 357
Encapsulated complexes
iron(II), 1969
Enthalpy of activation
complexation, cobalt(II), nickel(II) aminopolycarboxylate complexes, 1981
complexation, platinum(II) chloride diaminopolycarboxylate complexes, 1853
fluxionality, platinum(IV) halide methyl pyridazine complexes, 2907
fluxionality, rhodium(I) diketonate phosphine complexes, 609
ligand exchange, cerium(IV) diketonate, 1747
spin crossover, iron(II) hexamine encapsulated complexes, 1969
substitution, chromium(III) Erio nitrilotriacetate thiocyanate water complex, 1051
substitution, iron(II) cyanide thioether complexes, 1015
substitution, osmium(VI) cyanide nitride water complex, 717
Enthalpy of dissociation, solution, sublimation
zinc amide halide phosphine oxide pyridine pyridine-1-oxide complexes, 27
Enthalpy of formation
ECW model applications, diketonate porphyrin complexes, 2017
molybdenum(III) alkoxide cyanide complexes, 2035
nickel(II) aroylhydrazone pyridine complexes, 517
sodium terbium iodide complex, 1639
Entropy of activation
complexation, cobalt(II), nickel(II) aminopolycarboxylate complexes, 1981
complexation, platinum(II) chloride diaminopolycarboxylate complexes, 1853
ligand exchange, cerium(IV) diketonate, 1747
fluxionality, platinum(IV) halide methyl pyridazine complexes, 2907
fluxionality, rhodium(I) diketonate phosphine complexes, 609
spin crossover, iron(II)

hexamine encapsulated complexes, 1969
substitution, chromium(III) Erio nitrilotriacetate thiocyanate water complex, 1051
substitution, iron(II) cyanide thioether complexes, 1015
substitution, osmium(VI) cyanide nitride water complex, 717
Entropy of formation
molybdenum(III) alkoxide cyanide complexes, 2035
nickel(II) aroylhydrazone pyridine complexes, 517
sodium terbium iodide complex, 1639
EPR spectra
chromium(III) carbohydrate hydroxide complexes, 1895
chromium(III) ketobutyric acid thiosemicarbazone complex, 395
cobalt(II) furan Schiff base thioether macrocyclic pentadentate complexes, 791
cobalt(III) aminoacid hydroxide superoxide complexes, 1027
copper(II) aminooxamide gadolinium complex, 475
copper(II) azole pyridine terpyridine tetrafluoroborate water complexes, 825
copper(II) azole triamine zinc complex, 1583
copper(II) carboxylate perchlorate salicylaldimine thiocyanate complexes, 3111
copper(II) carboxylate thioamide complex, 1095
copper(II) carboxyphenylazopyridine dipyridylamine complexes, 203
copper(II) chloride pyridylquinoxaline complex, 3209
copper(II) chloride tetrapeptide macrocyclic complex, 799
copper(II) diamine diketonate complex, 2379
copper(II) diamine tetraacetylethane complex, 2861
copper(II) diaminooxamide dicarboxylate, 2543
copper(II) diketonate, 469
copper(II) ethanediol complex, 2767
copper(II) ether phenanthroline - Schiff base phenol thioether complexes, 2327
copper(II) furan Schiff base thioether macrocyclic pentadentate complexes, 791
copper(II) hydrazide hydrazone thiocyanate thallium(I) complexes, 529
copper(II) phenoxide tetramine pendant macrocyclic complex, 759
copper(II) porphyrins, 1863
copper(II) salicylaldimine molybdenum complexes, 2615
copper(II) triamine complexes, 993
dysprosium diketonate porphyrins, 965
gadolinium oxamide phenanthroline copper(II) complex, 475
gadolinium phenanthroline phthalate complex, 99
hydrazone complexes (Co,Cu,Hg,Ni), 2101
iron(III) chloride hexamine complex, 1005
iron(III) nitrosyl xanthates, 2579
manganese(II) heteropolytungstate complexes, 2421
manganese(II) phenoxide polyamine binucleating complex, 683
manganese(III) chloride diimine complex, 765
manganese(IV) azophenol salicylaldimine complexes, 1811
molybdenum(V) hydroxide oxo phthalocyanine complex, 215
molybdenum(V) in sulfuric acid, 1083
rhenium(II) carbonyl chloride diphosphine sulfur dioxide thiocarbonyl complexes, 457
ruthenium(II) arylazooxime halide phosphine complexes, 77
ruthenium(II) chloride semiquinone terpyridine water complexes, 451
ruthenium(III) aminoantipyrine chloride complexes, 1781

ruthenium(III) chloride diimine phosphine complexes, 2671
tungsten(IV),(V) cyanide phenanthroline complexes, 1755
tungsten(V) alkylimide bromide cyclopentadienyl complexes, 2971
vanadium(IV) chloride oxo water complex crown ether adducts, 1715
vanadium(IV) diaminopolycarboxylate oxo complexes, 1763
vanadium(IV) histidine oxo thiocyanate complexes, 3177
vanadium(IV) oxo tartrate water barium complex, 357
Erbium
alanine water heterometallic complex, 2333
dipyridyl polyketonate complex, 3317
disulfoxide perchlorate water complex, 1881
glutamate nitrate water complex, 2957
heteropolytungstate complex, 1057
nitride, 235
oxamide phenanthroline copper(II) complex, 475
phenanthroline phthalate complex, 99
phenanthroline thiocyanate water complex, 3199
phenoxide pyridine Schiff base complex, 2089
sulfonate, 1787
Eriochrome Black T complexes
chromium(III), 1051
Ethanediolates
copper(II), 2767
tungsten(VI), 2519
Ethanedithiolates
indium, 2801
Ethanethiolates
mercury, 2695
Ethanol complexes
barium, 1181
ruthenium(III), 2671
titanium, 1181
Ethanolamine complexes
lead(II), 15
Ether complexes
aluminium, 2401
antimony, arsenic, 345
barium, 2417,3323
bismuth, 345
copper(II), 2327
gallium, 251
indium, 2731
lanthanides, 375,1927,2679, 2867,3229
lithium, 539,2979
magnesium, 1045
nickel(II), 3219
tungsten(VI), 1267
yttrium, 375
Ethoxides
barium, 1181
copper(II), 1039
gallium, 2831
lead, niobium, 1181
silicon, 1123
tantalum, 1181
Ethoxycyanopyridine complexes
copper(II), 345
Ethyls
gallium, 1149
germanium, 3039
silicon, 1123
tin(IV), 2953
Ethylacetoacetate complexes
copper(II), 469
Ethylamine complexes
nickel(II), 2277
Ethylcyclopentadienyls
Cr(0), Mo(0), W(0), 2179
Ethylenebis(biguanide) complexes
silver(III), 53
Ethylenebis(oxyethylenenitrilo)tetraacetes, V(IV), 1763
Ethylenediamine complexes
chromium(III), 155
cobalt(III), 165,1625,2483, 3127
nickel(II), 873,2277
palladium(II), 3143
Ethylenediamineacetates
cobalt(III), 1963
Ethylenediaminebis(pentanedioniminate) complexes
uranium(VI), 559
Ethylenediaminebis(phenyl)propionate complexes
cobalt(III), 63
Ethylenediaminebis(salicyliden-iminate) complexes,
copper(II), 3111
iron(III) 485
Ethylenediaminediacetates
cobalt(III), 2483
vanadium(IV), 1763
Ethylenediaminedipropionates

vanadium(IV), 1763
Ethylenediaminetetraacetates
Pd(II), Pt(II), 1853
ruthenium(II),(II,III), 2647
vanadium(IV), 1763
Ethylenedianthranilates
vanadium(IV), 1763
Ethylmaltol complexes
gadolinium, 23
Ethylxanthates
iron(III), 2579
Ethynyls
gold(I), 887
Europium
alkoxide ammonia complexes, 1
camphorsulfonate, 2095
crown ether nitrate nitrile water complex, 313
diimine diketonate complex, 3167
dipyridyl polyketonate complex, 3317
disulfoxide perchlorate water complex, 1881
heteropolytungstate complex, 1057
hexadentate macrocyclic complex, 159
nitride, 235
oxamide phenanthroline copper(II) complex, 475
phenanthroline thiocyanate water complex, 3199
pyridinedicarboxylate lanthanum complex, 987
EXAFS
chromium(III) oxalate complex, 1625
cobalt(III) diamine dicarboxylate complexes, 1625
hexafluorides (Ir,Os,Re,W), 749
molybdenum(V) hydroxide oxo water complex, 505
uranium(VI) azacrown crown ether nitrile oxo sulfonate water complexes, 1725

F

Ferrocenyl salts, 1677
Ferrocenyldiphosphine complexes
ruthenium(II), 1887
Fluorescence spectra
europium heropolytungstate complex, 1057
europium hexadentate macrocyclic complex, 159
europium pyridinedicarboxylate lanthanum complex, 987
gold(I) diphosphine ethynyl complex, 887
gold(III) amidopyridine chloride complex, 2073
lanthanide diimine polyketonate complexes, 3317
lanthanide sulfonates, 1787
neodymium azide complex, 1069
ruthenium(II) dipyridyl complex, 385
ruthenium(II) dipyridyl nickel(II) complex, 325
zinc porphyrins, 1863
Fluorides
iridium(VI), 749
iron(II), 1197
metalloorganic precursors, 1116
molybdenum(II), 635
molybdenum(VI), 3257
osmium(VI), rhenium(VI), 749
tungsten(II), 635
tungsten(VI), 749
4-Fluorobenzoates
tantalum(V), 2265
Fluxional behaviour
magnesium alkoxide ether aluminium complexes, 1045
nitroalkenes, 675
platinum(IV) halide methyl pyridazine complexes, 2907
rhodium(I) diketonate phosphine complexes, 609
tungsten(II) alkyne bromide carbonyl diphosphine complexes, 2915
tungsten(VI) alkylamide alkylimide, 2443
Formates
copper(II), 3111
Formation constants
acylthiazolylthiourea complexes, 3295
chromium(III) Erio nitrilotriacetate thiocyanate water complex, 1051
cobalt(II) hydroxycarboxylate water complexes, 143
cobalt(II) peptide complexes, 2683
cobalt(III) aminoacid hydroxide peroxide superoxide complexes, 1027
copper(II) hydroxide nitrilotriacetate complexes, 3041

copper(II) phenoxide
tetramine pendant
macrocyclic complex, 759
iron(III) amine carboxylate
phenoxide complexes, 2343
iron(III) dopamine,
hydroxyquinolinesulfonate
complexes, 591
iron(III) salicylalanine-
hydroxamate water
complexes, 1523
nickel(II) aroylhydrazone
pyridine water complexes,
517
nickel(II) hydroxycarboxylate
complexes, 143
nickel(II) peptide complexes,
2683
salicylglycine complexes
(Cu,Ni,Zn), 1495
silver iodide complexes, 855
uranium(VI) glycine oxo
complexes, 861
vanadium(IV) histidine oxo
complexes, 3177
vanadium(V) glycine oxo
complexes, 861
zinc peptide complexes, 2683
Formylferrocene hydrazone
complexes, Co,Cu, 2101,2395
manganese(II), 2395
Hg,Ni, 2101,2395
Free energy of activation
fluxionality, magnesium
alkoxide ether aluminium
complexes, 1045
fluxionality, nitrosoalkenes,
675
fluxionality, platinum(IV)
halide methyl pyridazine
complexes, 2907
fluxionality, rhodium(I)
diketonate phosphine
complexes, 609
fluxionality, tungsten(II)
alkyne bromide carbonyl
diphosphine complexes, 2915
fluxionality, tungsten(VI)
alkylamide alkylimide, 2443
isomerization, rhodium(I)
carbonyl chloride phosphine
complexes, 2507
substitution, iron(II)
cyanide thioether
complexes, 1015
Fructose complexes
chromium(III), 1895
Fumarates
copper(II), 2543
Furan complexes
Co(II), Cu(II), Ni(II), 791
Furfurylcyclopentadienyls
lanthanides, 2867

G

6-31G*, 6-31G*/MP2
calculations,
dithiaphosphetane, 579
Gadolinium
alkoxide carboxylate oxo
heteropolymetallic
complexes, 1181
chloride furfurylcyclopenta-
dienyl complex, 2867
diimine polyketonate complex,
3317
disulfoxide perchlorate water
complexes, 1881
heteropolytungstate complex,
1057
nitride, 235
oxamide phenanthroline
copper(II) complex, 475
phenanthroline phthalate
complex, 99
phenanthroline thiocyanate
water complex, 3199
phenoxide pyridine Schiff
base complex, 2089
polyaminopolycarboxylates,
567
polyaminopolyphosphonate
water complexes, 1937
pyridinone pyrone complexes,
23
sulfonate, 1787
Galactose, galactouronate
complexes, chromium(III),
1895
Gallium
alkoxide alkyls, phenoxides,
2831
alkyl alkylarsenides, 1149
arsenide, 1149
chloride phosphine oxide
cobalt(II) complexes, 3053
ether halide thiocyanate
complexes, 251
heteropolytungstate
complexes, 2421
nitride, 1169
phosphide, 1131
GCMS, tellurium(II) *i*-propyl
pyrolysis, 1253

Gels, siloxide, 1123
Gel electrophoresis
  chromium(III) carbohydrate hydroxide complexes - DNA reaction, 1895
Gel permeation chromatography
  chromium(III) diketonate polymers, 2043
Germanium
  alkyls, 915,3039
  borohydrides, 247
  catecholate complex, 3261
  telluride complexes, 2775
  ternary phosphides, 1131
Germyls
  molybdenum(II), 39
Gluconate, glucose complexes
  chromium(III), 1895
Glutamates
  erbium, 2957
Glycine complexes
  cobalt(III), 2185,2483,2591
  uranium(VI), 861
  vanadium(V), 861
Glycol complexes
  tungsten(VI), 2519
Glycyl peptide complexes
  Co, Ni, Zn, 2683
Gold metal, 1113,1233
Gold(I)
  alkyl isocyanide complex, 1233
  diphosphine ethynyl complex, 887
  diphosphine nickel(0) complex, 2431
  thione complexes, 753
Gold(III)
  amidopyridine chloride complex, 2073

H

Hafnium
  alkylamide, 1169
  carbide, 1315
  cyclopentadienyl methyl, 2231
  nitrides, 1169
Hartree - Fock calculations
  Mo(IV), W(IV) chalcogenide clusters, 1841
Heteropolymolybdates
  potassium, sodium, 835
  titanium(IV), 1091
  vanadium(V), 2271
Heteropolytungstates
  arsenic(V), 1057
  Co,Fe,Ga,Mn,Ni,V, 2421
Heteropolyvanadates
  molybdenum(VI), 2271
Heteropolytungstate complexes
  lanthanides, 1057
Hexadentate complexes
  europium, 159
  lanthanum, 573
Hexafluoro-*t*-butoxides
  lanthanides, 1
Hexafluoropentanedionates
  cobalt(II), 713
  cobalt(III), 2483
  nickel(II), 281,713
  rhodium(I), 609
Hexafluoro-*i*-propoxides
  barium, 3323
Hexamethylbenzene complexes
  ruthenium(II), 1101
Hexamethylphosphoramide, Mo(VI) complex solvate, 2745
Hexamine complexes
  iron(II), 1969
  iron(III), 1005
Hexoxides
  gallium, 2831
Hexyls
  germanium, 3039
Histidine complexes
  cobalt(III), 2591
  vanadium(IV), 3177
Holmium
  camphorsulfonate, 2095
  diketonate porphyrin, 2255
  dipyridyl polyketonate complex, 3317
  disulfoxide perchlorate water complex, 1881
  nitrides, 235
  nitrilotriacetate water, picolinate complexes, 113
  oxamide phenanthroline copper(II) complex, 475
  phenanthroline phthalate complex, 99
  phenanthroline thiocyanate water complex, 3199
Hydrazide complexes
  copper(II), 529
Hydrazone complexes
  cadmium,57
  cobalt(II), 57,2101,2395
  copper(II), 57,529,2101,2395
  lead, 57
  manganese(II), 529,2395
  mercury, 2101,2395
  nickel(II), 57,517,2101,2395
  thorium, uranium(VI), 957

vanadium(IV), 1701
zinc, 57
Hydrides
aluminium, 2401
chromium(0), 1741
cobalt(0,I), 103,723
iron(I), 2893
molybdenum(IV), 3341
osmium, 3285
phosphorus, 2629
ruthenium(II), 1887
silicon, 2451
tungsten(IV), 3341
zirconium, 2231
Hydrogen sulfates
molybdenum(V), 1083
Hydroquinidine complexes
molybdenum(VI), 3153
Hydrosulfides
ruthenium(0,I), 2085
Hydrotris(3,5-dimethylpyrazolyl)borates,
iron(II), (III), 87
mercury, 2695
molybdenum, 2107,2117,2615
tungsten(II), 2107
tungsten(VI), 353
Hydrotris(3-methylpyrazolyl)-borates, Cd,Co,Cu,Fe,Mn,Ni, Pb,Zn, 2173
Hydrotris(pyrazolyl)borates
cadmium, 3053
iron(II), (III), 87
tin(II), 869
tungsten(VI), 353
Hydroxamates
iron(III), 1523
Hydroxides
barium, 2163,3323
cadmium, 847
calcium, 3071
chromium(III), 737,1895
cobalt(II), 3269
cobalt(III), 1027
copper(II), 1801,3041
iron(III), 2447
molybdenum(II), 635
molybdenum(V), 215,505
phosphorus(V), 3091
rhenium(0,I), 1945
ruthenium(II), 2999
tin(IV), 2067
tungsten(II), 3265
tungsten(IV), 599
vanadium(IV), 2049
Hydroxyapatite
calcium, 3071
Hydroxycarboxylates
barium, 357
cobalt(II), 143
lithium, 3135
nickel(II), 143
potassium, thallium(I), 3135
vanadium(IV), 357
2-Hydroxyethylethylenediamine-triacetates, V(IV), 1763
2-Hydroxy-1,4-naphthaquinone complexes, iron(II), 497
6-Hydroxyphenylbipyridine complexes, Pd, Pt, 2291
4-Hydroxyphenyltriphenyl-porphyrins, lanthanides, 2255
2-Hydroxy-4-*i*-propyl-tropolonates, indium, 505
8-Hydroxyquinolinates
tungsten(IV), 599
8-Hydroxyquinolinesulfonate
iron(III), 591
2-Hydroxytropolonates
indium, 513

I

Imidazole complexes
copper(II), 783,1583
iron(II), 2639
zinc, 1583
Imidazolinethione complexes
copper(I), 3119
Iminoboranes, 2211
Iminodiacetates
cobalt(III), 1963
Iminodiphosphine complexes
ruthenium(I), 3243
Iminophosphine complexes
molybdenum, tungsten, 2899
Iminotris(acetamidoxime)
complexes, copper(II), 547
Indium
alkyl arsine phosphine complexes, 625
alkyl chlorides, 199
alkyl porphyrins, 2367
chloride, phosphine oxide cobalt(II) complexes, 3053
chloride tetrahydrofuran complex, 2731
phosphide, 1131
thiolate complexes, 2797
tropolonates, 513
INDO calculations
cobalt(0,I) carbonyl halide hydride phosphine complexes, 103
cobalt nickel carbonyl

phosphine complexes, 723
Iodides
antimony(III), 365,1655
arsenic, bismuth(III), 365
cadmium, 1553,1989
cobalt(0,I), 103
iridium(II), 919
iron(II), 2923
mercury, 1553
molybdenum(II), 525,975,2107, 2117
palladium(II), 659,1609,2025
phosphorus, 1517,2629
platinum(II), 659
platinum(IV), 2501,2907
rhodium(III), 1563
ruthenium(II), 881
silver, 841,855
sodium, 1639
terbium, 1639
thorium, 559,2945
tin(IV), 938
tungsten(II), 3265
uranium(VI), 559
zinc, 1553,1989,1997
Iodine complexes
diarylditellurides, 2855
phenylsilane, 2451
3-Iodopentanedionates
Al,Be,Co,Cr,Cu,Fe,V, 2825
4-Iodophenylimides
chromium(IV), 485
IR spectra
acyls, 2301
acylthiazolylthiourea complexes, 3295
alcohol complexes, 777,1593, 2163
alkoxides, 927,1907,1927
alkyls, 2501,2907,2953
alkylamides, 1329
amide complexes, 181,193,345, 349,891,957,2319,3099
amidine complexes, 175,815
amidrazone complexes, 301
amine complexes, 783,2401, 2543,2639,2751,3127
aminoacid complexes, 861,2591
aminoantipyrune complexes, 1781
aminopolycarboxylates, 1587, 1853
aminothioether complexes, 659
ammonia complexes, 1,193
aryls, 2855
arylamides, 1023,1695
arylimides, 485
azide complexes, 783,1801, 2141,2149,3127
azole complexes, 825,1005, 1553,1593,1661,2025,3219
benzoylthiourea complexes, 3277
borohydrides, 247,2401
bromides, 659,777,1553,1669, 1917,2025,3119
camphorsulfonates, 2095
carbohydrate complexes, 909, 1895
carbonyls, 39,125,167,175, 457,525,635,713,727,851, 919,975,1563,1669,1689, 1741,1773,1835,1945,2179, 2301,2337,2431,2507,2525, 2555,2923,3235,3243,3265, 3285,3309
carboxylates, 559,573,737, 909,951,957,987,1095,1181, 1553,1563,1575,1631,1661, 1801,1907,2079,2149,2157, 2265,2359,2543,2751,2933, 2945,2999,3111,3243
carboxylic acid complexes, 175
carboxyphenylazopyrimidine complexes, 203
catecholates, 291
chlorides, 77,167,181,659, 777,903,957,999,1553,1609, 1669,1781,1835,1917,2025, 2049,2129,2135,2319,2501, 2555,2671,2689,2907,2999, 3063,3099,3171,3309
chlorosulfates, 2953
crown ether complexes, 1715, 2549
cyanamide complexes, 2211
cyanates, 1701
cyanides, 403,479,1553,1619, 1755,2337,2353,3147
cyanoboranes, 2431,2599
cyclopentadienyls, 117,385, 1695,2867,3235
diamine complexes, 181,873, 1997,2185,2285,3127
dicarboxylates, 99,221,987, 1859,1931,1951,3147
diene complexes, 609,1575
diimine complexes, 99,475, 559,1647,1735,1755,1817, 1951,2569,2665,2945,3127, 3199,3317
diketonates, 609,647,938,965, 2043,2163,2255,2825,3167
diphenylimido complexes, 2049
diphosphinaters, 3159

diphosphine complexes, 117, 1563
disulfide complexes, 301
disulfoxide complexes, 1881
dithiaphosphetane, 579
dithiocarbamates, 903,2715
dithiophosphates, 2763
ether complexes, 1695,1927, 2401,2867
furan complexes, 791
heteropolyanions, 2421
hexafluorophosphates, 117, 2387
hydrates, 753,783,899,1553, 1587,1661,1817,1989,2101, 2489,2665
hydrazide complexes, 529,2611
hydrazinium salts, 505
hydrazone complexes, 517,529, 957,1701,2101,2395
hydrides, 2401
hydrosulfides, 2085
hydroxides, 635,1801,3071, 3265
hydroxyapatite, 3071
hydroxycarboxylates, 357
imine complexes, 2591
iminoboranes, 2211
iodides, 659,1553
isocyanide complexes, 1233
isopolymolybdates, 3153
ketoenamine complexes, 1781
ketoimine complexes, 559,3005
ketone complexes, 395,2125
macrocyclic complexes, 573
nitrates, 167,281,349,899, 957,1035,1553,1593,1661, 2025,2125,2285,2945
nitrides, 235
nitrile complexes, 39,2431, 3309
nitrites, 975
nitrosyls, 975,1741,1773, 2615,2653
oxamide complexes, 475,783, 873,1647,2543,2881
oxime complexes, 77,1907,2665
oxo complexes, 301,357,441, 505,559,599,635,695,701, 861,927,957,1587,1701,2049, 2495,2611,2945
perchlorates, 99,281,957, 1063,1101,1553,1647,1661, 1817,1881,2025,2327,2431, 2659,2665,2881,3111
periodates, 2489
peroxides, 695,1587
phenoxides, 999,1907,2089
phosphates, 1311,3071
phosphine complexes, 727, 2129,2359,2971,3063
phosphine oxide complexes, 727
phosphites, 1291
phosphonates, 1291,1311
polyaniline, 1311
polyketonates, 3317
porphyrins, 339,485,647,965
pyrazolylborates, 2173,2615, 2653
pyridazine complexes, 2501, 2907
pyridine complexes, 345,825, 899,1063,1917,2089,2141, 2149,2255,2763,2999,3153, 3171
pyridinium salts, 2819
pyrimidine complexes, 2513
pyrimidinethiolates, 273
quinoxaline complexes, 3209
salicylaldehyde complexes, 2217
salicylaldimines, 441,1735, 2049,2387,2495,3111
Schiff base complexes, 441, 791,899,951,975,1063,1735, 1801,1907,2049,2061,2089, 2125,2319,2327,2387,2495, 2615,2653,2659,3005,3111
squarates, 45
sulfates, 1701,2945
sulfonates, 193,1787,2095
sulfur dioxide complexes, 457
sulfoxides, 2611,3253
tellurates, 2489
telluroether complexes, 777
terpyridyl complexes, 825, 3127
tetraalkene complexes, 1927
tetrafluoroborates, 1553,2327
tetramine complexes, 69,3127
tetrapeptide complexes, 799
thiazolinethione complexes, 2277
thioamide complexes, 1095, 1609
thiocarbonyl complexes, 457
thiocyanates, 69,251,529,559, 573,873,891,957,1553,1593 2025,2387,2549,2945,3063, 3111,3199,3265
thioether complexes, 1015
thione complexes, 753,3119
thiosemicarbazone complexes, 395,1917,3005
thiotetrazolates, 2809

triamine complexes, 993,3127
water complexes, 69,517,825, 873,1095,1715,1881,1907, 1951,2149,2157,2999,3199
xanthates, 2801
Iridium
metal, 1233
Iridium(I)
chloride diene phosphorane complexes, 1077
Iridium(II)
arylamide carbonyl iodide phosphine complexes, 919
Iridium(VI)
fluoride, 749
Iron
book review, 163
carbonyl cyclopentadienyl thio cobalt complex, 851
carbene complexes, book review, 859
carbonyl thio heteropoly-metallic complexes, 389
ions, effect on HNO_2 - HSO_3^- reaction, 2983
metal, 1197
Iron(0)
carbonyl phosphine complex, 2893
Iron(I)
carbonyl hydride phosphine complex, 2893
Iron(II)
amidine chloride complexes, 815
aminophosphine carbonyl cyclopentadienyl iodide complexes, 2923
azole methanol phenoxide binucleating complexes, 2639
carbonyl cyclopentadienyl phthalimide complex, 1689
carboxylate phenoxide copper(II) complex, 951
chloride diamidediimine macrocyclic complexes, 2319
chloride thio molybdenum(V) cubane complexes, 3147
cyanide heterometallic complexes, 155,1619
cyanide thioether complexes, 1015
cyclopentadienyls, 385,2107, 2117
cyclopentadienyl diphosphine disulfide ether phosphine pyridine sulfenamide complexes, 117
diimine thiocyanate copper(II) complexes, 2259
fluoride, 1197
hexamine encapsulated complexes, 1969
pyrazolylborates, 87,2173
semiquinone complex, 497
sulfide, 1197
thioether molybdenum(0),(I) complexes, 667
Iron(II,III)
oxide, 1197
Iron(III)
amine carboxylate phenoxide complexes, 2343
ammine peroxide complex, 2473
chloride hexamine complex, 1005
chloride pyridine Schiff base complexes, 2659
chloride thiosemicarbazone complexes, 3005
cyanide heterometallic complexes, 479,1619
cyclopentadienyls, 1677
diketonates, 2825
dithiocarbamates, 983
dopamine complexes, 591
hydroxide complex, 2447
hydroxyquinoline-sulfonate complexes, 591
nitrosyl xanthates, 2579
oxide, 1197
polytungstates, 2421
pyrazolylborates, 87
pyridine complex, 187
pyridine Schiff base complexes, 1063
salicylalaninehydroxamate water complexes, 1523
salicylaldimine chromium(III) complexes, 485
Isocyanide complexes
gold(I), platinum(II), 1233
Isocyanotrihydroborate, 2353
Isomerisation, cobalt(III) aminopolycarboxylates, 1963
Isonicotinylhydrazone complexes
vanadium(IV), 1701
Isopolymolybdates, 835,1011, 2439,3153

K

Kambaldite, Co analogue, 3269
2-Ketobutyric acid

thiosemicarbazone complexes, Co(III), Cr(III), 395
Ketoenamine complexes
ruthenium(III), 1781
Ketoimine complexes
iron(III), 3005
uranium(VI), 559,2945
vanadium(IV), 2205
Ketone complexes
barium, calcium, 2125
Co(III), Cr(III), 395
molybdenum(II), 3309
strontium, 2125
Kinetic studies
alkene hydrogenation catalysed by ruthenium(II) complexes, 1887
complex dissociation, lanthanide polyaminopoly-carboxylates, 567
complex formation, cobalt(II) aminopolycarboxylate diimine thiocyanate complexes, 1981
complex formation iron(III) amine carboxylate phenoxide complexes, 2343
complex formation, iron(III) salicylalaninehydroxamate water complexes, 1523
complex formation, nickel(II) aminopolycarboxylate diimine thiocyanate complexes, 1981
complex formation, platinum(II) chloride diaminopolycarboxylate complexes, 1853
fluxionality, platinum(IV) halide methyl pyridazine complexes, 2907
hydrolysis, phosphorus(V) alkoxide hydroxide porphyrin complexes, 3091
hydrolysis, ruthenium(II) ammine cyanopyridinium complexes, 133
isomerization, rhodium(I) carbonyl chloride phosphine complexes, 2507
ligand exchange, cerium(IV) diketonate, 1747
oxygen transfer, molybdenum(VI) amide halide oxo sulfoxide complexes, 3257
photooxidation, molybdenum(V) hydroxide oxo phthalocyanine complex, 215
photoreduction, tin(IV) chloride hydroxide phthalocyanins, 2067
pyrolysis, gold, platinum alkyl isocyanide complexes, 1233
redox, HNO_2 - HSO_3^-, 2983
redox, Mn(IV) - unsaturated alcohols, 445
substitutions, chromium(III) nitrilotriacetate water complex, 1051
substitutions, iron(II) cyanide thioether complexes, 1015
substitutions, osmium(VI) cyanide nitride water complex, 717
substitutions, ruthenium(II) aminopyrazine edta complexes, 2647
substitutions, tungsten(IV) cyanide oxo picolinate complexes, 599

L

Lactam complexes
palladium(II), 3099
Lanthanides
alanine water heterometallic complexes, 2333
alkoxide ammonia complexes, 1
alkylamide lithium complexes, 3229
aminoisobutyrate water complexes, 2993
camphorsulfonates, 2095
chloride ether complexes, 2679
chloride furfurylcyclopenta-dienyl complexes, 2867
cyclopentadienyl tetrahydro-furan complexes, 375
diketonate porphyrins, 2255
dipyridyl polyketonate complexes, 3317
disulfoxide perchlorate water complexes, 1881
heteropolytungstate complexes, 1057
nitrate complexes, 1035
nitrides, 235
oxamide phenanthroline copper(II) complexes, 475
phenanthroline phthalate complexes, 99

phenanthroline thiocyanate water complexes, 3199
phenoxide pyridine Schiff base complexes, 2089
polyaminopolycarboxylates, 567
sulfonates, 1787
Lanthanum
acetate pyridine Schiff base thiocyanate macrocyclic hexadentate complex, 573
alanine water heterometallic complex, 2333
alkoxide aminoalkoxide niobium complex, 1181
alkoxide ammonia complexes, 1
alkylamide lithium complex, 3229
amide chloride cryptate sulfonate complexes, 319
aminoisobutyrate water complex, 2993
aminopolyetherpolycarboxylate complex, 2193
chloride cyclopentadienyl lithium complex, 2979
chloride ether complex, 2679
diamide nitrate complex, 349
dipyridyl polyketonate complex, 3317
disulfoxide perchlorate water complex, 1881
heteropolytungstate complex, 1057
malonate water complex, 1931
nitrate complex, 1035
nitride, 235
phenoxide pyridine Schiff base complex, 2089
phenylphosphonate phosphites, 1291
pyridinedicarboxylate water europium complex, 987
sulfonates, 1787
Lead(I)
ion, reactions with benzenes, thiols, 409
Lead(II)
acetylferrocenyl hydrazone complexes, 57
alkoxide water complex, 45
carboxylate diketonate, 1683
crown ether thiocyanate complexes, 2549
dithiophosphinate, 2873
ethanolamine complex, 15
polyphosphates, 3105
pyrazolylborate, 2173
Lead(II,IV)
alkoxide carboxylate oxide heterometallic complex, 1181
Ligand synthesis
acylferrocene hydrazones, 2101,2395
amidrazone, 301
amine pyridine macrocycle, 771
aminopolyetherpoly-carboxylate, 2193
benzothiazole, 2223
benzoylthiourea, 3277
binucleating amide amine azole pyridine, 891
crown ether dioxime, 1793
cyclopentadienyl Schiff bases, 385
dialkyl- amines, ethers, selenoethers, thioethers, 365
diamidoglycine, 2537
diaminodiphenoxides, 701
diaminodisulfide Schiff bases, 1735
diphosphinosulfoxide, 3253
ferrocene arylamide, phenoxide, 2107
mercaptoimine tetradentates, 3015
nitrosoalkenes, 675
pendant tetramine macrocycle, 759
phosphines, 227,727
polyaminopolyphosphonate, 1937
porphyrins, 1863
telluroether - alcohol, 777
tetramine macrocycles, 2061
tetrapeptide macrocycle, 799
Lithium
alkoxide oxo titanium(IV) complexes, 1181
alkylamide ether heterometallic complexes, 3229
chloride tetrahydrofuran lanthanide complexes, 539, 2979
chromium(III) oxide, 1301
tartrate water complex, 3135
tetramine thiocyanate water macrocyclic complexes, 69
Lutetium
diketonate porphyrin, 2255
disulfoxide perchlorate water complex, 1881
nitrate complex, 1035

nitrate water complex, crown ether adduct, 313
phenoxide pyridine Schiff base complex, 2089
Lutidine complexes
copper(II), 2141
nickel(II), 2277

M

Macrocyclic complexes
cobalt(II), 791,799,2319
cobalt(III), 3127
copper(II), 759,771,791,799, 2319
europium, 159
iron(II), 2319
lanthanum, 573
lithium, 69
nickel(II), 325,791,2061
sodium, 69
uranium(VI), 899
zinc, 2319
Magnesium
alkoxide carboxylate niobium complex, 1181
alkoxide ether phenoxide aluminium complexes, 1045
diketonates, 2825
Magnetism
acylthiazolylthiourea chloride compounds (Co,Cu), 3295
aniline - pyridine-2-aldehyde Schiff base complexes (Co,Cu,Fe,Ni), 2659
binucleating complexes, 891, 1801,2639
book review, 1659
chromium(III) carbohydrate hydroxide complexes, 1895
chromium(III) dicarboxylate hydroxide tetramine complexes, 737
chromium(III) ketobutyric acid thiosemicarbazone complex, 395
chromium(IV) arylimide porphyrin complexes, 485
cobalt(II) chloride tetrapeptide macrocyclic complex, 799
cobalt(II) diimine diketonate Mo(0) complexes, 713
copper(II) alkoxide azide azole bromide carboxylate pyridine-oxide Schiff base binucleating complexes, 1801
copper(II) alkoxide carboxylate oxime phenoxide Schiff base water nickel(II) complexes, 1907
copper(II) alkoxide diketonate, 1039
copper(II) amide amine azole chloride pyridine binucleating complexes, 891
copper(II) amine diimine oxamide complexes, 1647
copper(II) aminooxamide azide imidazole perchlorate complexes, 783
copper(II) aminooxamide gadolinium complex, 475
copper(II) azole phthalocyanine iron(II) complex, 2259
copper(II) benzoylthiourea compounds, 3277
copper(II) carboxylate chloride perchlorate salicylaldimine thiocyanate complexes, 3111
copper(II) chloride pyridylquinazoline complex, 3209
copper(II) chloride tetrapeptide macrocyclic complex, 799
copper(II) diamidooxamide dicarboxylate, 2543
copper(II) diamine tetraacetylethane complex, 2861
copper(II) dicarboxylate diimine water complex, 1951
copper(II) diimine methanol quinone complexes, 933
copper(II) diimine oxamide complexes, 2881
copper(II) ethanediol complex, 2767
copper(II) ether phenanthroline - Schiff base phenol thioether complexes, 2327
copper(II) hydrazide hydrazone thiocyanate thallium(I) complexes, 529
copper(II) salicylaldimine heterometallic (Cu,Fe,Mn) complexes, 951
copper(II) salicylaldimine molybdenum complexes, 2615
copper(II) sebacate, 1859
diamidediimine macrocyclic

complexes (Co,Cu,Fe), 2319
diamidoglycine complexes (Co,Cu,Ni), 2537
dysprosium diketonate porphyrins, 965
gadolinium oxamide phenanthroline copper(II) complex, 475
iron metal, fluoride, sulfide, 1197
iron(II) diimine thiocyanate copper(II) complexes, 2259
iron(II) encapsulated crossover complexes, 1969
iron(III) chloride hexamine complex, 1005
iron(III) salicylaldimine Cr(III) complexes, 485
lanthanide camphorsulfonates, 2095
lanthanide disulfoxide perchlorate water complexes, 1881
lanthanide heteropoly-tungstate complexes, 1057
lanthanide nitrides, 235
lanthanide phenanthroline phthalate complexes, 99
lanthanide phenanthroline thiocyanate water complexes, 3199
lanthanide phenoxide pyridine Schiff base complexes, 2089
manganese(II) carboxylate dicarboxylate pyridine water complex, 2157
manganese(II) heteropolytung-state complexes, 2421
manganese(III) azophenol salicylaldimine complexes, 1811
manganese(III) chloride phenanthroline complex, 765
manganese(III) salicylal-dimine thiocyanate complexes, 2387
molybdenum(IV) carbonyl chloride Schiff base complexes, 975
nickel(II) alkoxide carboxylate oxime phenoxide Schiff base water copper(II) complexes, 1907
nickel(II) amide amine azole pyridine thiocyanate binucleating complexes, 891
nickel(II) amine diamine diimine pyridine thiazol-inethione complexes, 2277
nickel(II) aminopyridine dithiophosphate complex, 2763
nickel(II) azole chloride ether nitrate thioether complexes, 3219
nickel(II) carboxylate thio-amide water complex, 1095
nickel(II) diamine diketonate nitrate complexes, 281
nickel(II) diamine oxamide thiocyanate water complexes, 873
nickel(II) diimine diketonate Mo(0) complexes, 713
nickel(II) halide methanol nitrate thiocyanate triaz-ole water complexes, 1593
nickel(II) nitroxide water complexes, 2781
osmium(IV) chloride porphyrin, 339
rhenium(II) carbonyl chloride diphosphine thiocarbonyl complexes, 457
ruthenium(III) aminoantipy-rine chloride complexes, 1781
titanium(III) chloride cyclopentadienyl phosphine thiocyanate complex, 3063
vanadium(IV) chloride hydroxide oxo salicylald-imine complexes, 2049
vanadium(IV) cyanate hydra-zone oxo complexes, 1701
vanadium(IV) oxo phenoxide salicylaldimine complexes, 2495
vanadium(IV) oxo tartrate water barium complex, 357
vanadium(V) diketonate oxo chromium(III) complex, 485
Malonates
chromium(III), 737
cobalt(III), 1625
lanthanum, 1931
Manganese(I)
acyl alkyl bromide carbonyl telluroether complexes, 2301
carbonyl phosphacyclopenta-dienyl ruthenium(II) complexes, 2555
carbonyl phosphine tellurolate tellurophen-oxide complexes, 1277

Manganese(II)
acylferrocenyl hydrazone complexes, 57,2395
amine halide phenoxide binucleating complexes, 2639
carboxylate dicarboxylate pyridine water complex, 2157
carboxylate phenoxide copper(II) complex, 951
carboxylate thioamide water complex, 1095
heteropolytungstate complexes, 2421
hexacyanoferrates(III), 479, 1619
ions, effect on HNO_2 - HSO_3^- reaction, 2983
phenoxide polyamine binucleating complex, 683
pyrazolylborate, 2173
telluride, 1277
Manganese(II,III)
amine halide phenoxide binucleating complexes, 2639
Manganese(III)
azophenol salicylaldimine complexes, 1811
bromide salicylaldimine complex, 1547
chloride perchlorate peroxide salicylaldimine complexes, 1539
chloride phenanthroline complex, 765
dithiocarbamates, 983
hexacyanoferrates(III), 479, 1619
salicylaldimine thiocyanate complexes, 2387
Manganese(III,IV)
bis(pyridylmethyl)glycine oxo complex, 2251
Manganese(IV)
azophenol salicylaldimine complexes, 1811
hexacyanoferrate(III), 479
phosphate, 445
Mannaric acid complexes
molybdenum(VI), 1825
Mannose complexes
chromium(III), 1895
Mass spectra
antimony(III) dithiophosphinate methyl, 2531
barium aminoalkoxide diketonate complex, 2163
cadmium(I) ion - thiol reaction, 409
chromium(IV) arylimide porphyrin complexes, 485
copper(I) carboxylate phosphine complex, 2359
copper(II) carboxylate pyridine water complexes, 1631
dithiocarbamates, 983
gallium alkoxide alkyl phenoxide compounds, 2831
gallium arsenide deposition, 1149
iron(III) cyclopentadienyls, 1677
lanthanide alkoxide ammonia complexes, 1
lanthanide chloride furfuryl-cyclopentadienyl complexes, 2867
manganese(I) acyl bromide carbonyl telluroether complexes, 2301
mercaptoimine tetradentate complexes (Ni,Pd,Pt), 3015
mercury heterometallic (Cr,Mo,W) complexes, 2179
nickel(II) chloride phosphine complex, 2129
palladium(II) amide chloride phosphine complex, 3099
palladium(II) aza crown chloride complex, 2135
palladium, platinum chloride phosphine complexes, 2129
platinum(IV) halide methyl pyridazine complexes, 2501
rhenium(0,I) carbonyl hydride thio Ru complex, 1945
rhodium(II) acetate amino-methylpyridine complexes, 2933
ruthenium(0,I) carbonyl pyridyl thio rhenium complex, 1945
ruthenium(II) aminophosphine carbonyl cyclopentadienyl complexes, 2923
sodium terbium iodide complex, 1639
tin(IV) chloride diimine methyl complex, 2569
titanium dimethylamide, 1329
uranium(VI) diimine oxo nitrate complex, 2945

zinc(I) ion - thiol reaction, 409
Membrane transport
copper(II) ether phenanthroline - Schiff base phenol thioether complexes, 2327
2-Mercaptobenzothiazole complexes, nickel(II), 2277
Mercury(I)
ion, reactions with benzenes, thiols, 409
Mercury(II)
acylferrocene hydrazone complexes, 2395
acylthiazolylthiourea chloride compounds, 3295
alkyl pyrazolylborate thiolates, 2695
aryl chlorides, 2689
azole carboxylate cyanide halide thiocyanate complexes, 1553
betaine halide complexes, 3333
chloride U(VI) complex, 559
halide molybdenum(II) complexes, 1669
halide telluroether complexes, 777
heterometallic (Cr, Mo, W) complexes, 2173
hydrazone complexes, 2101
Metalloorganic compounds, precursors for electronic materials, review, 1111
Methanetellurolates
manganese(I), 1277
Methanethiolates
mercury, 2695
Methanol complexes
copper(II), 933
iron(II), 2639
nickel(II), 1593
Methoxides
gallium, 2831
phosphorus(V), 3091
tin(IV), 2223
2-(Methoxynaphthyl)propoxides
molybdenum(II), 2117
4-Methoxyphenylimides
chromium(III), 485
Methyls
aluminium, 3299
antimony(III), 2471,2531
cadmium, 3053
gallium, 1149
germanium, 915,3039
hafnium, 2231
indium, 625
mercury, 2695
platinum(II), 1233
platinum(IV), 2501,2907
rhodium(III), 1563
silicon, 1123
thallium, 1805
tin(IV), 19,938,1835,2049, 2569,2809,2953,3159
zirconium, 2231
2-Methylallyl complexes
molybdenum(II), 525
N-Methylanilides
phosphorus, 2629
1-Methylbenzotriazole complexes
nickel(II), 1593
Methylcarboxycyclopentadienyls
tungsten(III),(V), 2971
Methylcyclopentadienyls
chromium(0), 2179
hafnium, 2231
iron, 851
molybdenum, 389,2179
tungsten(0), 2179
zirconium, 2231
Methyldiphenylphosphine complexes
iridium(II), 919
platinum(II), 261
ruthenium(II), 77
Methylenediphenylphosphinates
tin(IV), 1705
Methylimidazole complexes
copper(II), 825
Methyliminodiacetates
cobalt(III), 1963
vanadium(IV), 1763
Methylisocyanides
gold(I), platinum(II), 1233
3-Methylpyridazine complexes
platinum(IV), 2907
N-Methyl-2-thiooxamates
copper, manganese, 1095
MINDO calculations
alcohols, 2245
MNDO calculations
aldehydes, 2245,2473
iron(III) ammonia peroxide complex, 2473
manganese(III) salicylaldimine complexes, reactions with acid anhydrides, 1539
phosphorus - sulfur compound, 579
Möessbauer spectra
iron metal, fluoride, sulfide, 1197

iron(II) cyanide heterometallic complexes, 1619
iron(II) cyanide thioether complexes, 1015
iron(II) diimine thiocyanate copper(II) complexes, 2259
iron(II) pyrazolylborates, 87
iron(III) chloride hexamine complex, 1005
iron(III) cyanide heterometallic complexes, 479,1619
iron(III) hydroxide complex, 2447
iron(III) pyrazolylborates, 87
iron(III) salicylaldimine Cr(III) complexes, 485
tin(II) alkyl aryl chloride Mo(II) complexes, 3309
tin(IV) alkoxide aminothiophenoxide chloride complex, 2223
tin(IV) alkyl aryl chloride Mo(I) complexes, 1835
tin(IV) aryl chloride salicylaldehyde complexes, 2217

Molecular orbitals
alcohols, 2245
aldehydes, 2245,2473
cobalt(0), carbonyl phosphine complexes, 723
cobalt(0,I) carbonyl halide hydride phosphine complexes, 103
copper(II) chloride pyridylquinoxaline complex, 3209
iron(III) ammonia peroxide complexes, 2473
manganese(III) salicylaldimine complexes, reactions with acid anhydrides, 1539
molybdenum(IV), tungsten(IV) chalcogenide clusters, 1841
nickel(0) carbonyl phosphine complexes, 723
phosphorus - sulfur compound, 579
platinum(II) porphycene, 2563

Molybdenum
alkene allyl carbaborane carbonyl nitrosyl complexes, 1773
carbonyl chloride nitrite nitrosyl phosphine Schiff base complexes, 975
carbonyl cyclopentadienyl heteropolymetallic complexes, 389
carbonyl thio complexes, 125
chloride nitrosyl phenoxide pyrazolylborate copper(II) complexes, 2615

Molybdenum(0)
carbonyl cyanide heterometallic complexes, 1875,2337
carbonyl cyclopentadienyl cobalt(0) complex, 3235
carbonyl cyclopentadienyl mercury complexes, 2179
carbonyl diimine phosphine heterometallic complexes, 713
carbonyl phosphine complexes, 227,2455
carbonyl thiophenoxide iron(II) complex, 667
dinitrogen phosphine complexes, 241
nitrosyl pyrazolone Schiff base complexes, 2653

Molybdenum(I)
carbonyl chloride phenanthroline phosphine tin(IV) complexes, 1835
carbonyl thiophenoxide iron(II) complex, 667

Molybdenum(II)
alkoxide arylamide halide nitrosyl phenoxide pyrazolylborate complexes, 2117
allyl carbonyl halide triphosphine complexes, 525
amide ammine complexes, 193
arylamide halide nitrosyl pyrazolylborate complexes, 2107
carbonyl chloride diphosphine germyl nitrile phosphine phosphine oxide phosphinesulfide complexes, 39
carbonyl chloride ketone nitrile phosphine tin(II) complexes, 3309
carbonyl diimine halide mercury complexes, 1669
carbonyl halide hydroxide phosphine complexes, 635
carbonyl halide Schiff base complexes, 975

Molybdenum(III)
alkoxide cyanide complexes, 2035
chloride pyridine complexes, 3171

Molybdenum(IV)
acetate diphosphine hydride

complex, 3341
carbonyl chloride Schiff base complexes,975
chalcogenide clusters, 1841
chloride pyridine complexes, 3171
Molybdenum(V)
cyanide oxalate thio iron(II) cubane complexes, 3147
hydroxide oxo phthalocyanine complex, 215
hydroxide oxo water complex, 505
in sulfuric acid, 1083
Molybdenum(VI)
alkylimide chloride imino-phosphine complex, 2899
amide halide oxo sulfoxide complexes, 3257
chloride oxo water complex solvates, 2745
heteropolyanions, 835,1091, 2271
isopolyanions, 835,1011,2439
isopolyanion quinoline complexes, 3153
methanol oxo Schiff base complex, 441
oxo salicylhydrazide sulfoxide complex, 2611
oxo sugar acid complexes, 1825
selenate silver complex, 841
Morpholinedithiocarbamates
Cd,Co,Fe,Mn, 983
Mucic acid complexes
molybdenum(VI), 1825

N

$N_2Se_2^{2-}$, N_2STe^{2-} complexes
platinum(II), 1501
Neodymium
alanine water heterometallic complex, 2333
alkoxide chloride siloxide silylamide lithium complexes, 539
arylamide cyclopentadienyl complex, 1695
azide complex, 1069
camphorsulfonate, 2095
chloride furfurylcyclopenta-dienyl complex, 2867
dipyridyl polyketonate complex, 3317
disulfoxide perchlorate water complex, 1881
heteropolytungstate complex, 1057
nitrate complex, 1035
nitrides, 235
nitrilotriacetate water, picolinate complexes, 109
phenanthroline thiocyanate water complex, 3199
phenoxide pyridine Schiff base complex, 2089
sulfonate, 1787
Nickel
metal, 1233
triphosphine triphosphorus platinum(II) complex, 3045
Nickel(0)
carbonyl cyclopentadienyl pnictogen complexes, 2525
carbonyl diphosphine hetero-metallic complexes, 2431
carbonyl phosphine complex, 727
carbonyl phosphine cobalt(0) complex, 723
phosphine complex, 151
phosphine thiocyanate complex, 3063
Nickel(0,I)
phosphine selenide telluride complexes, 1245
Nickel(I)
phosphine thiocyanate complexes, 3063
Nickel(II)
acetylpyrrole Schiff base complexes, 2055
acylferrocenyl hydrazone complexes, 57,2395
acylthiazolylthiourea chloride compound, 3295
alkoxide carboxylate oxime phenoxide Schiff base water copper(II) complexes, 1907
amide amine azole pyridine binucleating complexes, 891
amide carboxylate complex, 2537
amine diamine diimine pyridine thiazolinethione complexes, 2277
aminopolycarboxylate diimine complexes, 1981
aminopyridine dithiophosphate complex, 2763
aroylhydrazone pyridine water complexes, 517
azole chloride ether nitrate

thioether complexes, 3219
carboxylate thioamide water complex, 1095
chloride phosphine complex, 2129
cyclopentadienyl dithiocarbamate complex, 2525
diamine diketonate nitrate complexes, 281
diamine oxamide thiocyanate water complexes, 873
diimine diketonate Mo(0) complexes, 713
diketonates, 2245,2825
dithiooxalate complexes, 2311,2819
furan Schiff base thioether pentadentate macrocyclic complexes, 791
halide methanol nitrate thiocyanate triazole water complexes, 1593
heteropolytungstate complexes, 2421
hydrazone complex, 2101
hydroxycarboxylate water complexes, 143
mercaptoimine tetradentate complexes, 3015
nitroxide water complexes, 2781
peptide complexes, 2683
piperidine porphyrin complexes, 2017
pyrazolylborate, 2173
pyridine Schiff base complexes, 1063,2659
salicylglycine complexes, 1495
tetramine macrocyclic complexes, 2061
tetramine macrocyclic ruthenium(II) complex, 325
Niobium
carbide, 1315
nitrides, 1169
Niobium(IV)
alkylamides, 1169
Niobium(V)
alkoxide carboxylate oxo heterometallic complexes, 1181
carboxylate chloride, 2265
Nitrates
cadmium, 1553,1661
cobalt(II), 187
copper(II), 435,2285,2929
lanthanides, 313,349
nickel(II), 281,1593,3219
palladium, platinum(II), 2025
ruthenium(IV), 167
thorium, 559,957,2945
tungsten(II), 3265
uranium(VI), 559,957,2945
Nitrides and nitrido complexes
aluminium, 1169
boron, 1225
gallium, hafnium, 1169
lanthanides, 235,2957
metalloorganic precursors, 1117
niobium, 1169
osmium(VI), 717
Si,Sn,Ta, 1169
titanium, 1169,1225,1329
vanadium, 1169
yttrium, 235
zirconium, 1169,1225
Nitrile complexes
copper(I), 2431
europium, 313
molybdenum(II), 39,3309
platinum(II), 2583
ruthenium(II), 133
uranium(VI), 1725
Nitrilotriacetates
cobalt(II), 1981
copper(II), 3041
holmium, 109
neodymium, 113
nickel(II), 1981
tungsten(II), 2915
vanadium(IV), 1763
vanadium(V), 1587
Nitrites
cobalt(III), 165,463
molybdenum(0), 975
tungsten(II), 3265
Nitrogenase model systems, 3341
5-Nitrophenanthroline complexes
copper(II), 1647,2881
4-Nitrophenoxides
molybdenum(II), 2117
4-Nitrophenylenediamine complexes, Pd, Pt(II), 261
Nitrosoalkene complexes
palladium(II), 675
Nitrosodiselenafulvalene complexes, Pd(II), 675
Nitrosodithiafulvalene complexes, Pd(II), 675
Nitrosyls
chromium(0), 1741
cobalt, 1159
iron(III), 2579
molybdenum, 975,1773,2107,

2117,2615,2653
tungsten, 2107
Nitrous acid, reaction with bisulfite, 2983
Nitroxide complexes
nickel(II), 2781
NMR (^{1}H) spectra
acyls, 2301
alcohol complexes, 777
alkene complexes, 1773
alkoxides, 1,709,743,927, 1039,1045,2035,2117,2831, 2887,3091,3323
alkyls, 625,915,1101,1563, 1705,2049,2301,2471,2501, 2569,2809,2831,2907,2953, 3159,3299,3309
alkylamides, 2443,3229,3299
alkylarsenides, 3299
alkylimides, 2443,2899
alkyne complexes, 2915,3265
allyls, 1773
amide complexes, 181,2319, 3099
amidine complexes, 175,815
amine complexes, 1651,2401, 2583,2599,2751
aminoacid complexes, 2185
aminophosphine complexes, 2923
aminothioether complexes, 659
ammines, 1
arsine complexes, 625
aryls, 1705,2689,3159
arylamides,919,1023,2117
azole complexes, 1553,1661, 2025,3219
borohydrides, 2401
camphorsulfonates, 2095
carbaborane complexes, 1773
carbinols, 915
carbohydrate complexes, 1895
carboxylates, 573,2751,2993, 3031,3079
carboxylic acid complexes, 175
catecholates, 291,3261
crown ligands, 2135
cyclometallated complexes, 3099
cyclopentadienyls, 117,851, 1677,2049,2179,2417,2923, 2971,2979,3235
diallyl complexes, 167
diamine complexes, 181,1997, 3079
diaminodicarboxylates, 63
diaminodiphenoxides, 701
diazene complexes, 1741
diene complexes, 609,1575
diimine complexes, 291,559, 1669,1735,1755,1817,2569, 2671,2915,2945,3199
diketonates, 609,938,1039, 1741,2255
diphenoxides, 743
diphosphinates, 3159
diphosphine complexes, 39, 117,609,1563,1575,2431, 2715,2915,3099,3265
dithiocarbamates, 903,2715
encapsulated complexes, 1969
ether complexes, 1023,2401, 2417,2731,3219,3229
furan complexes, 791
glycol complexes, 2519
hexamine complexes, 1005
hydrazone complexes, 57,2101, 2395
hydrides, 1741,1887,2401
ketoimine complexes, 559,2945
ketone complexes, 3309
lactam complexes, 3099
lanthanide shifts, 2993
macrocyclic complexes, 573
nickel(II) paramagnetic compounds, 3219
nitrile complexes, 39,2915, 3309
nitrosoalkenes, 675
oxime complexes, 77,1793
peptide complexes, 2683
phenoxides, 2831
phosphides, 2893
phosphine complexes, 609,625, 727,919,1575,1835,2129, 2599,2715,2915,3045,3079, 3099,3309
phosphine oxide complexes, 39,727
phosphine selenide complexes, 1101
phosphine sulfide complexes, 39
phosphonium salts, 1677
polyaminopolyphosphonates, 1937
polyketonates, 3317
porphycenes, 2563
porphyrins, 209,339,1863, 2255,2887,3091
pyrazolates, 3243
pyrazolone complexes, 2653
pyrazolylborates, 2117,2173
pyridazine complexes, 2501, 2907

pyridine complexes, 899,1063, 1563,1575,1661,1793
pyridinethiolates, 3285
pyridinium salts, 1035
pyridyls, 1945
pyrimidinethiolates, 273
salicylaldehyde complexes, 2217
Schiff base complexes, 791, 899,1063,1735,2049,2061, 2125,2319,2653,2945,3015
siloxide gels, 1123
silylamides, 1651,2417
silylphosphines, 2737
sugar acid complexes, 1825
sulfonates, 2095
telluroether complexes, 777, 2301
tellurolate, 1277
tetramine complexes, 69
thioamide complexes, 1609
thioether complexes, 791,3219
thiolates, 3015
thiotetrazolates, 2809
triamine complexes, 1989
triphosphine complexes, 525, 3045
water complexes, 2745
xanthates, 2801
NMR (^{7}Li) spectra
lithium tetramine thiocyanate water macrocyclic complexes, 69
NMR (^{11}B) spectra
boron chloride cyanamide complexes, 2211
carbaborane complexes, 1773,
cyanoborane complexes, 2599
cyanoborates, 2353
iminoboranes, 2211
NMR (^{13}C) spectra
acyls, 2301
alkene complexes, 1773
alkoxides, 709,1045,2035, 2831,2887
alkyls, 625,915,1101,2301, 2569,2695,2809,2831,3159, 3299
alkylamides, alkylarsenides, 3299
alkylidyne complexes, 353
alkyne complexes, 2915,3265
allyls, 1773
amide complexes, 3099
amidine complexes, 175
amine complexes, 2583
aminoacid complexes, 2185
aminoalkyls, 365
aminothioether complexes, 659
arsine complexes, 625
aryls, 3159
arylamides, 1695
azole complexes, 3219
carbaborane complexes, 1773
carbinols, 915
carbohydrate complexes, 909
carbonyls, 175,227,635,851, 2507,2555,3309
carboxylates, 573,909,1563, 3031
carboxylic acid complexes, 175
cyanides, 403,1755,2035,2353
cyclometallated complexes 3099
cyclopentadienyls, 389,851, 1695
diamine complexes, 3127
diaminodiphenoxides, 701
diimine complexes, 1755,2569, 2915
diketonates, 938
diphosphinates, 3159
diphosphine complexes, 1563, 2715,2915,3099
dithiocarbamates, 2715
ether complexes, 1695,2731, 3219
glycol complexes, 2519
hydroxycarboxylates, 143
ketoimine complexes, 2945
ketone complexes, 3309
lactam complexes, 3099
macrocyclic complexes, 573
nickel(II) paramagnetic complexes, 3219
nitrile complexes, 2915
nitrosoalkenes, 675
phenoxides, 2831
phosphacyclopentadienyls, 2555
phosphine complexes, 227,625, 2715,2915,3099
phosphine selenide complexes, 1101
phthalimide complexes, 1689
polyaminopolyphosphonates, 1937
porphyrins, 209,403,2887,3031
pyrazolylborates, 2173,2695
pyridine complexes, 1793,2555
pyrimidinethiolates, 273
salicylaldehyde complexes, 2217
Schiff base complexes, 2061, 2945

silylphosphines, 2737
sugar acid complexes, 1825
telluroether complexes, 2301
terpyridyl complexes, 3127
tetramine complexes, 69
thioamide complexes, 1609
thiocyanates, 2549
thioether complexes, 3219
thioetheralkyls, 365
thiolates, 2695
thiotetrazolates, 2809
triamine complexes, 3127
vinyls, 2583
xanthates, 2801
NMR (^{14}N) spectra
thiocyanates, 251
NMR (^{15}N) spectra
phthalimide complexes, 1689
pyrazolylborates, 2695
NMR (^{17}O) complexes
oxo complexes, 1825
NMR (^{19}F) spectra
alkoxides, 1,3323
fluorides, 635
NMR (^{29}Si) spectra
siloxide gels, 1123
NMR (^{27}Al) spectra
aluminium halide silyl-phosphine complexes, 2737
NMR (^{31}P) spectra
alkylphosphides, 2893
aminophosphine complexes, 2923
diphosphinates, 3159
diphosphine complexes, 117, 457,609,1563,1575,2431, 2715,2751,3099
diphosphinodiamine complexes, 2751
diphosphinodisulfoxide complex, 3253
dithiophosphinates, 2531
iminodiphosphine complexes, 3243
iminophosphine complexes, 2899
phosphacyclopentadienyls, 2555
phosphinates, 1705
phosphine complexes, 227,261, 609,625,635,727,777,919, 1077,1575,1609,1835,2129, 2507,2715,2751,3027,3045, 3099,3309
phosphine oxide complexes, 727
phosphine selenide complexes, 1101
phosphonium salts, 1677
phosphorane complexes, 1077
phosphorus amide halide hydride phosphide sulfide thiophenoxide cluster molecules, 2629
phosphorus halides, 1507
phosphorus sulfur cage molecules, 1507
phosphorus(V) aryl chloride cyanide complexes, 2605
polyaminopolyphosphonates, 1937
polyphosphorus complexes, 3045
silylphosphines, 2737
triphosphine complexes, 525, 3045
ylides, 1773
NMR (^{51}V) spectra
gallium vanadotungstate complexes, 2421
NMR (^{71}Ga) spectra
gallium ether halide thiocyanate complexes, 251
NMR (^{77}Se) spectra
$Se_2N_2^{2-}$ complex, 1501
diselenoether complexes, 881
NMR (^{95}Mo) spectra
molybdenum carbonyl thio complexes, 125
molybdenum(II) carbonyl halide hydroxide phosphine complexes, 635
molybdenum(VI) oxo sugar acid complexes, 1825
NMR (^{113}Cd) spectra
cadmium alkyl aryl pyrazo-lylborates, 3053
NMR (^{119}Sn) spectra
tin(II) acylpyrazolones, 938
tin(II) pyrazolylborate, 869
tin(IV) acylpyrazolone alkyl halide compounds, 938
tin(IV) alkyl aryl chloride phosphinates, 1705
tin(IV) alkyl aryl chloride diimine pyridine complexes, 19
tin(IV) alkyl thiotetrazol-ates, 2809
tin(IV) aryl chloride sali-cylaldehyde complexes, 2217
tin(IV) chloride dithiocarbamate, 903
NMR (^{125}Te) spectra
$TeSN_2^{2-}$ complex, 1501
ditelluroether complexes, 881

telluroether complexes, 2301
NMR (^{183}W) spectra
heteropolytungstate complexes, 1057,2421
NMR (^{195}Pt) spectra
platinum(II) chloride phosphine complex, 2129
platinum(IV) chloride porphyrins, 209
NMR (^{199}Hg) spectra
mercury alkyl pyrazolylborate thiolates, 2695
NMR (^{209}Pb) spectra
lead alkoxide carboxylate oxo heterometallic complexes, 1181
Norbornylene metathesis polymerization, 1267
NQR (^{35}Cl) spectra
chlorides, chlorophenyls, 2605

O

Octaethylporphyrinates
indium, 2359
platinum(IV), 209
rhodium(III), 2367
Octaphosphates
lead, 3105
Osmium
carbonyl hydride pyridine-thiolate complexes, 3285
Osmium(II)
diimine complexes, 1817
Osmium(III) ammonia cyanide heterometallic complexes, 2337
Osmium(IV)
chloride porphyrin, 339
Osmium(VI)
cyanide nitride water complex, 717
fluoride, 749
Oxalates
Cr(III), Co(III), 1625
molybdenum(V), 3147
ruthenium(III), 2671
tungsten(IV), 599
vanadium(V), 695
Oxamide complexes
copper(II), 475,783,1647,2881
lanthanides, 475
nickel(II), 873
Oxidations using V(V) peroxide complexes, 695
Oxides and oxo complexes
antimony(III), 2471
arsenic(V), 1057
chromium(III), 737
gadolinium, 1181
iron(II,III), 1197
iron(III), 1197
lead, 1181
lithium, 1181
manganese(III,IV), 2251
metalloorganic precursors, 1113
molybdenum(IV), 1841
molybdenum(V), 215,505,1083
molybdenum(VI), 441,1011, 1091,1825,2611,2745,3257
niobium, 1181
rhenium(V), 701
ruthenium(II,III), 2647
ruthenium(III), 3079
samarium, 927
titanium(IV), 927,1091,1105, 1181
tungsten(IV), 599,1841
tungsten(VI), 301,1057,1267
uranium(VI), 559,861,899,957, 1725,2945
vanadium(IV), 357,1701,1715, 1763,2017,2049,2205,2495, 2825,3177
vanadium(V), 485,695,861, 1587,2495
zirconium, 1181
Oxime complexes
copper(II), 553,1907
Ni(II), Pd(II), 1907
ruthenium(II), 2665
Ozone, reaction with
$Mn_2[Fe(CN)_6]$, 479

P

Palladium metal, 1233
Palladium(0)
phosphine thiocyanate complex, 3063
Palladium(II)
acylthiazolylthiourea chloride compounds, 3295
alcohol chloride phosphine telluroether complexes, 777
amide chloride diphosphine lactam phosphine cyclometallated complexes, 3099
amine chloride diimine phenoxide complexes, 2291

aminothioether halide complexes, 659
aza crown chloride complex, 2135
azole halide nitrate perchlorate thiocyanate complexes, 2025
azopyridine chloride phenoxide complexes, 999
catecholate diimine complexes, 291
chloride diaminopolycarboxylate complexes, 1853
chloride diphosphinosulfoxide complex, 3253
chloride nitrosoalkene complexes, 675
chloride phosphine complex, 2129
chloride phosphine thiocyanate complex, 3063
cyclooctadiene phenylenediamine complex, 261
diamine diimine complexes, 3143
dithiooxalate complexes, 2311,2819
halide phosphine pyridine pyrrolethioamide cyclometallated complexes, 1609
halide pyridine thiosemicarbazone complexes, 1917
mercaptoimine tetradentate complexes, 3015
oxime Schiff base complex, 1907
PE spectra
germanium alkyl polymers, 3039
Pendant macrocyclic complexes
copper(II), 759
Penicillamine complexes
chromium(III), 333
Pentadentate ligand complexes
Co, Cu, Ni, 791
Pentafluorobenzoates
niobium(V), 2265
Pentafluorophenoxides, pentafluorothiophenoxides,
tungsten(VI), 2899
Pentamethylcyclopentadienyls
nickel(0), 2525
rhodium(III), 1101
titanium(IV), 1091
zirconium(IV), 2231
Pentamethyldiethylenetriamine complexes
Cd, Cu, Zn, 993
Pentamine complexes
cobalt(III), 3127
copper(II), 1583
2,4-Pentanedionates
cerium(IV), 1747
chromium(III), 2043
cobalt(II), 2245
lanthanides, 647,965,1747, 2255
nickel(II), 281,2245
rhodium(I), 609
ruthenium(III), 2197,2671
vanadium(IV), 2017
vanadium(V), 485
1-Pentenol complexes
dysprosium, 1927
Pentoxides
gallium, 2831
Mo(III), W(III), 2035
neo-Pentyls
indium, 625
Peptide complexes
cobalt(II), 2683
copper(II), 1495
nickel, zinc, 1495,2683
Perchlorates
copper(II), 783,3111
lanthanides, 1881
manganese(III), 1539
Pd(II), Pt(II), 2025
Periodates
copper(III), 2489
Peroxides and peroxo complexes
cobalt(III), 1027
iron(III), 2473
manganese(III), 1539,1547
vanadium(V), 695,1587
1,10-Phenanthroline complexes
cadmium, 1735
cobalt(II), 1981
cobalt(III), 2185,3127
copper(I), 2327
copper(II), 221,267,933,1647, 2327,2881
lanthanides, 99,475,3199
manganese(III), 765
molybdenum(I), 1835
molybdenum(II), 1669
nickel(II), 2277
palladium(II), 291,999,3143
platinum(II), 291,3143
ruthenium(II),(III), 2671
tin(IV), 19
tungsten(IV), 599,1755
tungsten(V), 1755
vanadium(V), 695
zinc, 273,2079
Phenol complexes

copper(II), 2327
Phenoxides
aluminium, 1045
cobalt(II), 951,2639
cobalt(II,III), 2639
copper(II), 759,951,1907
iron(II), 951,2639
iron(III), 2343
lanthanides, 2089
magnesium, 1045
manganese(II), 683,951,2639
manganese(II,III), 2639
manganese(III),(IV), 1811
molybdenum, 2615
molybdenum(II), 2107,2117
nickel, palladium(II), 1907
rhenium(V), 701
titanium, 1105
tungsten(II), 2107
tungsten(VI), 2899
vanadium(IV),(V), 2495
zirconium, 1105
Phenyls
cadmium, 3053
silicon, 2451
tin(IV), 19,1705,1835,2217, 3159
Phenylacetylides
gold(I), 887
Phenylalaninylalanine complexes
Co, Ni, Zn, 2683
2-(Phenylazo)pyridine complexes
Os(II), Ru(II), 1817
Phenyl(benzoyl)isoxazolone
complexes, europium, 3167
1-Phenyl-1,3-butanedionates
nickel(II), 281
Phenylenediamine complexes
palladium, platinum(II), 261
Phenyldiazene complexes
chromium(0), 1741
Phenyldithiocyanatophosphine
complexes, Ni,Pd,Ru,Ti, 3063
Phenylimido complexes
titanium(IV), 2049
Phenylmethoxides
gallium, 2831
Phenylmethyls
germanium, 3039
manganese(I), 2301
tin(IV), 3159
Phenylmethylidyne complexes
tungsten(VI), 353
Phenylmethyltellurolates
manganese(I), 1277
Phenylphosphimine complexes
platinum(II), 1501
Phenylphosphonates
lanthanum, 1291
N-Phenylsalicylideneiminates
iron(III), 485
Phenylsilane
dehydropolymerisation catalysed by Zr complexes, 2231
diiodine adduct, 2451
1-Phenyltetrazole complexes
copper(II), 2929
1-Phenyltrifluorobutanedionates
nickel(II), 281
Phosphacyclopentadienyls
Mn(I), Ru(II), 2555
Phosphates
calcium, 3071
Cu(II), Zr(IV), 1311
Phosphides (inorganic)
aluminium, cadmium, 1131
cobalt, 1159
Ga,Ge,In,Sn,Zn, 1131
Phosphides (organic)
iron(0),(I), 2893
phosphorus, 2629
Phosphinates
tin(IV), 1705
Phosphine complexes
boron, 2599
cadmium, 2715
chromium(0), 1741
cobalt(0), 723
cobalt(0,I), 103,723,1159
copper(I), 2359,3119
indium, 625
iridium(II), 919
iron(II), 117
manganese(I), 1277
molybdenum(0), 227,241,975, 2455
molybdenum(I), 1835
molybdenum(II), 39,635,3309
nickel(0), 151,723,727,3063
nickel(0,I), 1245
nickel(I), 3063
nickel(II), 2129
palladium(0), 3063
palladium(II), 777,1609,2129, 3063,3099
platinum(II), 261,777,1077, 1501,2129,3045
rhodium(I), 609,1575,2507
ruthenium(II), 77,689,1887, 2671,2751,2999,3063
ruthenium(III), 2671,3079
silver, 841
titanium(IV), 3063
tungsten(II), 635,2915
tungsten(V), 2971
zinc, 2715

Phosphine oxidation catalysed
by Mo(VI) complexes, 3257
Phosphine oxide complexes
gallium, indium, 3053
molybdenum(II), 39
zinc, 27
Phosphine selenide complexes
Rh(III), Ru(II), 1101
Phosphine sulfide complexes
molybdenum(II), 39
Phosphinidynetripropionates
cobalt(II), zinc, 2847
Phosphite complexes
lanthanum, 1291
Phosphonate complexes
cadmium, 847
cobalt(II), 3053
lanthanum, 1291
zirconium, 1311
Phosphonium salts, 1677
Phosphorane complexes
Ir(I), Pt(II), Rh(I), 1077
Phosphorus
amide halide hydride
phosphide sulfide
thiophenoxide cluster
molecules, 2629
halides, 1517
sulfur compounds, 579,1507
Phosphorus(V)
alkoxide hydroxide porphyrin
complexes, 3091
alkoxide porphyrin, 2887
aryl chloride cyanide
complexes, 2605
Phosphorus complexes
cobalt, 1159,3045
nickel, platinum, 3045
Photochemistry
tin(IV) chloride hydroxide
phthalocyanins, 2067
tungsten(IV),(V) cyanide
phenanthroline complexes,
1755
Phthalates
lanthanides, 99
lead(II), 1683
Phthalimide complexes
iron(II), 1689
Phthalocyanines
copper(II), 2259
molybdenum(V), 215
tin(IV), 2067
Picolinates
copper(II), 2149
holmium, 113
neodymium, 109
ruthenium(II), 2999
silver, 2425
sodium, 2149
tungsten(IV), 599
Picoline complexes
cobalt(III), 3127
copper(II), 825
nickel(II), 2277
Piperidine complexes
Ni(II), V(IV), 2017
Piperidyldithiocarbamates
Cd,Co,Fe,Mn, 983
Platinum metal, 1113,1233
Platinum(II)
alcohol chloride phosphine
telluroether complexes, 777
alkyl diamine isocyanide
phosphine complexes, 1233
amidine chloride complexes,
815
amine chloride diimine
complex, 2291
amine chloride nitrile
pyridine thioether vinyl
complexes, 2583
aminophenoxide catecholate
diene phenylenediamine
phosphine complexes, 261
aminothioether halide
complexes, 659
azole halide nitrate
perchlorate thiocyanate
complexes, 2025
catecholate diimine
complexes, 291
chloride diaminopoly-
carboxylate complexes, 1853
chloride diphosphinosulfoxide
complex, 3253
chloride phosphine complex,
2129
chloride phosphine
phosphorane complexes, 1077
diimine complexes, 3143
dithiooxalate complexes,
2311,2819
mercaptoimine tetradentate
complexes, 3015
nitrogen - chalcogen
phosphine complexes, 1501
phosphine phosphorus Co, Ni
complexes, 3045
porphycene, 2563
Platinum(IV)
chloride porphyrins, 209
halide methyl pyridazine
complexes, 2501,2907
Polarography
copper(II) hydroxide nitrilo-

triacetate complexes, 3041
lanthanide heteropoly-tungstate complexes, 1057
Pólya theorem, seven - coordination isomerism, 417, 2703
Polyamine complexes
manganese(II), 683
Polyaminocarboxylates
cobalt(III), 2477
lanthanides, 567
Polyaminopolyphosphonates
gadolinium, 1937
Polyethers, molybdenum(VI) complex solvates, 2745
Polygermanes, 3039
Polyhedral rearrangements, topology, 2005
Polyketonates
lanthanides, yttrium, 3317
Polyphosphates
lead, 3105
Porphycenes
platinum(II), 2563
Porphyrins
chromium(III),(IV), 485
copper(II), 1863
indium, 2367
lanthanides, 647,965,2255
nickel(II), 2017
osmium(IV), 339
phosphorus(V), 2887,3091
platinum(IV), 209
rhodium(III), 2367
thallium(III), 403,3031
vanadium(IV), 2017
zinc, 1863,2017
Potassium
butoxide zinc complex, 709
octamolybdate complex, 835
tartrate water complex, 3135
Potentiometric titrations
cobalt(II), nickel(II) hydroxycarboxylate water complexes, 143
Praseodymium
alkoxide ammonia complexes, 1
aminoisobuyrate water complex, 2993
chloride ether complex, 2679
dipyridyl polyketonate complex, 3317
disulfoxide perchlorate water complex, 1881
heteropolytungstate complex, 1057
nitrides, 235
phenanthroline thiocyanate water complex, 3199
Propanediolates
phosphorus(V), 2887
Propene complexes
molybdenum, 1773
Propionyls
manganese(I), 2301
2-Propenylphosphine complexes
tungsten(V), 2971
i-Propoxides
cadmium, 1181
gallium, 2831
Gd,La,1181
lead, 1181
Li,Mg, 1181
molybdenum(III), 2035
niobium, 1181
samarium, 927
titanium, 743,927,1181
zirconium, 1181
n-Propoxides
gallium, 2831
titanium(IV), 1123
i-Propyls
cadmium, 3053
tellurium(II), 1253
n-Propyls
cadmium, 3053
tin(IV), 2953
i-Propylamides
lanthanum, lithium, 3229
tungsten(VI), 2443
ytterbium, yttrium, 3229
i-Propylimides
tungsten(VI), 2443
Propylenebis(salicylaldiminate)
manganese(III), 1547
Propylenediaminetetraacetate complexes, Pd,Pt, 1853
Purine complexes
copper(II), 307
Pyrazine complexes
ruthenium(II,III), 2647
Pyrazole complexes
rhodium(I), 2463
ruthenium(I), 3243
Pyrazolone Schiff base complexes
molybdenum(0), 2653
Pyrazolylborates
tungsten(VI), 353
Pyridazine complexes
platinum(IV), 2501,2907
Pyridine complexes
barium, 2125
cadmium, 1661
calcium, 2125
cobalt(II), 1063,2659

cobalt(III), 1793
copper(II), 221,771,825,891, 1583,1631,2017,2141,2149, 2659,2933,3209
europium, 159
gold(III), 2073
iron(II), 117
iron(III), 1063,2659
lanthanides, 159,2089
lanthanum, 573
manganese(II), 2157
manganese(III,IV), 2251
molybdenum(III),(IV), 3171
nickel(II), 517,891,1063, 2277,2659,2763
palladium(II), 1609,1917
platinum(II), 2583
rhodium(I), 1563,1575
rhodium(II), 2933
rhodium(III), 1563
ruthenium(0,I), 2085
ruthenium(II), 2555,2999
ruthenium(IV), 167
silver, 1063,2425
strontium, 2125
tin(IV), 19
tungsten(IV), 599
uranium(VI), 899
zinc, 27,273,2017
2,6-Pyridinedicarboxylates
lanthanides, 987
silver, 2425
Pyridine-*N*-oxide complexes
copper(II), 1801
vanadium(IV), 2017
zinc, 27
Pyridinethione complexes
copper(I), 3119
gold(I), 753
osmium, 3285
ruthenium(0,I), 2085
Pyridinone complexes
gadolinium, 23
Pyridinylmethylenebenzoylhydrazine complexes, tin(IV), 2569
Pyridone complexes
cobalt(II), iron(III), 187
ruthenium(I), 3243
2-Pyridyls
ruthenium(0,I), 1945
2-Pyridylquinoxaline complexes
copper(II), 3209
Pyrimidine complexes
copper(II), 2513
Pyrimidinethiolates
zinc, 273
Pyrimidinethione complexes
gold(I), 753
Pyrone complexes
gadolinium, 23
Pyrrole complexes
nickel(II), 2055
Pyrrolethioamide complexes
palladium(II), 1609

Q

QR-INDO/1 calculations
cobalt(0,I) carbonyl halide hydride phosphine complexes, 103
Quinaldates
rhodium(I), 1563,1575
rhodium(III), 1563
tungsten(IV), 599
Quinine complexes
molybdenum(VI), 3153
Quinone complexes
copper(II), 933
Quinoxaline complexes
copper(II), 3209
Quinuclidine complexes
boron, 2599

R

Raman spectra
bromides, 251
chlorides, 251
dithiaphosphetane, 579
sulfonates, 1787
thiocyanates, 251
Rhenium(0,I)
carbonyl hydride thio ruthenium complex, 1945
Rhenium(II)
carbonyl diphosphine halide thiocarbonyl complexes, 457
Rhenium(III)
amidate chloride complexes, 807
carbonyl diphosphine halide thio thiocarbonyl complexes, 457
Rhenium(V)
diaminodiphenoxide oxo complexes, 701
Rhenium(VI)
fluoride, 749
Rhodium
metal, 1233
Rhodium(I)
carbonyl chloride diene phosphorane complexes, 1077

carbonyl chloride phosphine complexes, 2507
carbonyl diphosphine quinaldate complexes, 1563
diene diketonate diphosphine phosphine complexes, 609
diene diphosphine phosphine quinaldate complexes, 1575
diene pyrazole complex, 2463
diene salicylate complex, 655
Rhodium(II)
acetate aminoethylpyridine complexes, 2933
Rhodium(III)
alkyl chloride cyclopentadienyl phosphine selenide complexes, 1101
alkyl porphyrins, 2367
carbonyl diphosphine iodide methyl quinaldate complexes, 1563
Ruthenium(0,I)
carbonyl hydrosulfide pyridinethione thio complexes, 2085
carbonyl pyridyl thio rhenium complex, 1945
Ruthenium(I)
amidine carbonyl carboxylic acid complexes, 175
carbonyl carboxylate iminodiphosphine pyrazolate pyridone complexes, 3243
Ruthenium(II)
alcohol dicarboxylate diimine diketonate halide phosphine complexes, 2671
alkyl arene chloride phosphine selenide complexes, 1101
aminophosphine carbonyl cyclopentadienyl complexes, 2923
aminopyrazine edta sulfoxide complexes, 2647
ammine cyanopyridinium complexes, 133
arsine carbonyl chloride phosphine complexes, 689
arylazooxime halide phosphine complexes, 77
camphorquinoneoxime dipyridyl complex, 2665
carbonyl chloride diphosphine hydride phosphine complexes, 1887
carbonyl chloride phospha-cyclopentadienyl pyridine Mn(I) complexes, 2555
carboxylate diphosphine diphosphinodiamine phosphine complexes, 2751
chloride diimine terpyridyl water complexes, 2963
chloride phosphine thiocyanate complex, 3063
chloride semiquinone terpyridyl water complexes, 451
diimine complexes, 1817
dipyridyl complex,fluorescence quenching of, 385
dipyridyl nickel(II) complex, 325
diselenoether ditelluroether halide complexes, 881
halide hydroxide phosphine picolinate water complexes, 2999
Ruthenium(II,III)
acetate aminopyrazine edta oxo complexes, 2647
Ruthenium(III)
aminoantipyrine chloride complexes, 1781
ammine cyanide heterometallic complexes, 1875,2337
carboxylate diamine oxo phosphine complex, 3079
chloride diimine phosphine complexes, 2671
diketonate, 2197
Ruthenium(IV)
carbonyl chloride diallyl nitrate pyridine complexes, 167
Rutherford back scattering, TiN, 1329

S

Salicylalaninehydroxamates iron(III), 1523
Salicylaldehyde complexes tin(IV), 2217
Salicylaldehyde dihydrazide complexes, Mo(VI), 2611
Salicylaldimine complexes
cadmium, 1735
copper(II), 951,2615,3111
iron(III), 485,3005
manganese(III), 1539,1547, 1811,2387
manganese(IV), 1811
molybdenum(VI), 441
Sn(IV), Ti(IV), 2049

vanadium(IV), 2049,2205,2495
vanadium(V), 2495
Salicylates
copper(II), nickel(II), 1495
rhodium(I), 655
zinc, 1495
Salicylglycine complexes
Cu, Ni, Zn, 1495
Samarium
chloride ether complex, 2679
cyclopentadienyl tetrahydrofuran complex, 375
dipyridyl polyketonate complex, 3317
disulfoxide perchlorate water complex, 1881
heteropolytungstate complex, 1057
nitrate complex, 1035
nitride, 235
oxo propoxide titanium compound, 927
phenanthroline thiocyanate water complex, 3199
phenoxide pyridine Schiff base complex, 2089
sulfonate, 1787
Scandium
sulfonate, 1787
Schiff base complexes
barium, 2125
cadmium, 1735
calcium, 2125
cobalt(II), 791,1063,2319, 2659
copper(I), 2327
copper(II), 791,951,1583, 1801,1907,2319,2327,2615, 2659,3111
europium, 159
iron(II), 2319
iron(III), 485,1063,2659
lanthanides, 159,573,2089
manganese(III), 1539,1547, 1811,2387
manganese(IV), 1811
molybdenum(0),975,2653
molybdenum(II),(IV), 975
molybdenum(VI), 441
nickel(II), 791,1063,1907, 2055,2659,3015
palladium(II), 1907,3015
platinum(II), 3015
silver, 1063,2467
strontium, 2125
tin(IV), titanium(IV), 2049
uranium(VI), 559,899,2945
vanadium(IV), 2049,2205,2495
vanadium(V), 2495
zinc, 2319
Sebacate
copper(II), 1859
Selenates
Mo(VI), Ag(I), W(VI), 841
Selenides
molybdenum, 1841
nickel, 1245
tungsten, 1841
Selenoether complexes
As,Bi,Sb, 365
Semiquinone complexes
iron(II), 497
ruthenium(II), 451
Sepulchrate complexes
iron(II), 1969
Seven - coordination, isomerism, 417,2703
Silanes
phenyl, 2451
triphenyl, 2231
Silicides, metalloorganic precursors, 1117
Silicon
alkoxide alkyls, 1123
nitrides, 1169
Siloxanes, 1123
Siloxides
neodymium, 539
Silver metal, 1197,1233
Silver(I)
amine Schiff base cryptate complex, 2467
carboxylate pyridine water complexes, 2425
iodide complexes, 855
iodide phosphine selenate heterometallic complexes, 841
pyridine Schiff base complexes, 1063
Silver(III)
ethylenebis(biguanide) complex, 53
silyls
zirconium, 2231
Silylamides
barium, 2417
neodymium, 539
Th(IV), U(IV), 1651
Silylphosphides
cadmium, 1131
Silylphosphine complexes
aluminium, 2737
Sodium
azide picolinate water copper(II) complex, 2149

butoxide zinc complex, 709
chloride cyclopentadienyl-phosphine ether ytterbium complexes, 3027
iodide terbium complex, 1639
octamolybdate complex, 835
tetramine thiocyanate macrocyclic complex, 69
Solubility studies
gadolinium pyridinone pyrone complexes, 23
Sorbose complexes
chromium(III), 1895
STO-3G* calculations
phosphorus - sulfur cyclic compound, 579
Strontium
diacetylpyridine Schiff base hexadentate complex, 2125
Succinates
chromium(III), 737
Sugar acid complexes
molybdenum(VI), 1825
Sulfates
copper(II), 553
uranium(VI), 559,2945
Sulfenamide complexes
iron(II), 117
Sulfides
iron(II), 1197
molybdenum(IV), 1841
phosphorus, 2629
tungsten(IV), 1841
Sulfonates
chromium(0), 1741
lanthanides, 319,1787,2095
scandium, 1787
uranium(VI), 1725
Sulfoxide complexes
molybdenum(VI), 2611,3257
ruthenium(II), 2647
Sulfur dioxide complexes
rhenium(II), 457
Sulfur - phosphorus compounds 579,1507
Superoxides
cobalt(III), 1027
Surface area, lanthanum polyphosphonate phosphites, 1291

T

Tantalum
carbide, 1315
nitrides, 1169,1225
Tantalum(V)
alkylamide, 1169
carboxylate chlorides, 2265
Tartrates
barium, 357
K, Li, Tl, 3135
vanadium(IV), 357
Tellurates
copper(III), 2489
Tellurides
germanium, 2775
manganese(II), 1277
molybdenum(IV), 1841
nickel(0,I), 1245
tungsten(IV), 1841
Tellurium(II)
aryl dihalogen complexes, 2855
i-propyl, 1253
Telluroether complexes
manganese(I), 2301
Hg, Pd, Pt, 777
Tellurolates
manganese(I), 1277
Tellurophenoxides
manganese(I), 1277
Terbium
dipyridyl polyketonate complex, 3317
disulfoxide perchlorate water complex, 1881
iodide sodium complex, 1639
nitrides, 235
oxamide phenanthroline copper(II) complex, 475
phenanthroline phthalate complex, 99
phenanthroline thiocyanate water complex, 3199
Terpyridine complexes
cobalt(III), 3127
copper(II), 825
ruthenium(II), 451,2963
Tetraacetylethane complexes
copper(II), 2861
Tetraalkene complexes
dysprosium, 1927
Tetraazacyclotetradecane complexes
nickel(II), 325
Tetradecyls
indium, rhodium(III), 2367
Tetradentate complexes
cobalt(II), copper(II), 799
Ni, Pd, Pt, 3015
Tetraethylenepentamine complexes, cobalt(III), 3127
Tetraethylmalondiamide complexes lanthanum, 349
Tetrafluoroborates

copper(II), 825
Tetrahydroborates
aluminium, 2401
Tetrahydrofuran complexes
barium, 2417,3223
indium, 2731
iron(II), 117
lanthanides, 375,1927,2679, 3229
lithium, 539,2979
magnesium, 1045
tungsten(VI), 1267
yttrium, 375
Tetrakispyrazolylborates
mercury, 2695
Tetramethylethylenediamine complexes
copper(II), 2379,2861
platinum(II), 1233
Tetramethylheptanedionates
barium, 1181,2163,2459
copper(II), 1039
titanium(IV), 1181
Tetramine complexes
chromium(III), 737
cobalt(III), 3127
copper(II), 759
lithium, 69
nickel(II), 325,2061
sodium, 69
zinc, 1583
Tetranaphthylporphyrinates
copper, zinc, 1863
Tetrapeptide complexes
cobalt(II), copper(II), 799
Tetraphenylcyclopentadienyls
barium, 2417
Tetraphenyldithioimidodiphosphinates, lead(II), 2873
Tetraphenylimidodiphosphinates
tin(IV), 3159
Tetraphenylporphyrinates
chromium(III),(IV), 485
copper(II), 1863
dysprosium, 647,965
indium, 2367
nickel(II), 2017
phosphorus(V), 2887,3091
platinum(IV), 209
rhodium(III), 2367
vanadium(IV), 2017
zinc, 1863,2017
Tetraphosphate, lead, 3105
Tetrapropylporphycenes
platinum(II), 2563
Tetrapyridylporphyrinates
thallium(III), 403,3031
Tetratolylporphyrinates
chromium(III), 485
dysprosium, 647
osmium(IV), 339
Thallium(I)
tartrate, 3135
thiocyanate copper(II) complexes, 529
Thallium(III)
acetate porphyrin, 3027
cyanide porphyrin, 403
methyl thiophosphonate, 1805
Theophylline complexes
copper(II), 307
Thermal analysis
acylferrocenyl hydrazone complexes, 57,2395
boron chloride cyanamide complexes, 2211
cadmium diphosphine dithiocarbamate zinc complexes, 2715
calcium hydroxyapatite, 3071
dithiooxalates (Ni,Pd,Pt), 2311,2819
dysprosium diketonate porphyrinates, 965
indium thiolate complexes, 2797
lanthanide camphorsulfonates, 2095
lanthanide dipyridyl polyketonate complexes, 3317
lanthanide disulfoxide water complexes, 1881
lanthanide nitrate complexes, 1035
lanthanide phenanthroline thiocyanate water complexes, 3199
lanthanide phenoxide pyridine Schiff base complexes, 2089
lanthanum malonate water complex, 1931
lanthanum phenylphosphonate phosphites, 1291
lead polyphosphates, 3105
molybdenum(VI) methanol oxo Schiff base complex, 441
molybdenum(VI) oxo salicylhydrazide sulfoxide complex, 2611
palladium(II), platinum(II) aminoether halide complexes, 659
ruthenium(III)
aminoantipyrine chloride complexes, 1781
thorium biimidazole iodide

nitrate thiocyanate complexes, 559
titanium(IV) alkylamide chloride diamine complexes, 181
uranium(VI) acetate biimidazole halide ketoimine nitrate oxo sulfate thiocyanate mercury complexes, 559
zinc carbohydrate carboxylate water complexes, 909
zinc diphosphine dithiocarbamate cadmium complexes, 2715
Thiazolidine-2-thione complexes
copper(I), 3119
nickel(II), 2277
Thiazoline-2-thione complexes
gold(I), 753
nickel(II), 2277
Thienyltrifluorobutanedionates
nickel(II), 281
Thio complexes
cobalt, 389,851
iron, 389,851,3147
molybdenum(V), 3147
rhenium(0,I), 1945
rhenium(III), 457
ruthenium(0,I), 1945,2085
Thioamide complexes
Cd, Cu, Mn, Ni, 1095
Thiocarbonyls
rhenium(II),(III), 457
Thiocyanates
chromium(III), 1051
cobalt(II), 1981
copper(II), 529,3111
gallium, 251
iron(II), 2259
lanthanides, 3199
lead(II), 2549
lithium, 69
manganese(III), 2387
mercury, 1553
nickel(0),(I), 3063
nickel(II), 873,891,1593
palladium(0), 3063
palladium(II), 2025,3063
platinum(II), 2025
ruthenium(II), 3063
sodium, 69
thallium(I), 529
thorium, 559,957,2945
titanium(III),(IV), 3063
tungsten(II), 3265
uranium(VI), 559,957,2945
vanadium(IV), 3177
Thioether complexes
antimony(III), 365
arsenic(III), 365
bismuth(III), 365
cobalt(II), 791
cobalt(III), 463
copper(II), 791,2327
iron(II), 1015
nickel(II), 791,3219
platinum(II), 2583
Thiols, reactions with M^+ ions, 409
Thiolates
chromium(III), 333
indium, 2797
mercury, 2695
nickel(II), 3015
osmium, 3285
palladium, platinum(II), 3015
Thione complexes
copper(I), 3119
gold(I), 753
ruthenium(0,I), 2085
Thiooxamates
Cd, Mn(II), Ni(II), 1095
Thiophenoxides
cadmium, 1735,3023
iron(II), 667
molybdenum(0),(I), 667
phosphorus, 2629
Thiophosphonates
thallium, 1805
Thiosemicarbazone complexes
chromium, cobalt(III), 395
iron(III), 3005
palladium(II), 1917
Thiotetrazolates
tin(IV), 2809
1,4-Thioxane complexes
iron(II), 1015
Thorium
amide halide hydrazone nitrate thiocyanate complexes, 957
aminosilylamide chloride, 1651
biimidazole iodide nitrate thiocyanate complexes, 559, 2945
Thulium
diketonate porphyrin, 2255
dipyridyl polyketonate complex, 3317
disulfoxide perchlorae water complex, 1881
phenanthroline thiocyanate water complex, 3199

Tin
nitrides, 1169
ternary phosphides, 1131
Tin(II)
acylpyrazolones, 938
alkyl aryl chloride Mo(II) complexes, 3309
pyrazolylborate, 869
Tin(IV)
acylpyrazolone alkyl halide compounds, 938
alkoxide aminothiophenoxide chloride complex, 2223
alkyl aryl chloride diimine pyridine complexes, 19
alkyl aryl chloride molybdenum(I) complexes, 1835
alkyl aryl chloride phosphinates, 1705
alkyl aryl diphosphinates, 3159
alkyl chloride salicylaldimine complexes, 2049
alkyl chlorosulfate complexes, 2953
alkyl thiotetrazolates, 2809
aryl chloride salicylaldehyde complexes, 2217
borohydrides, 247
chloride diimine methyl complex, 2569
chloride dithiocarbamate, 903
chloride hydroxide phthalocyanins, 2067
Titanium
carbide, 1315
nitrides, 1169,1329
Titanium(III)
chloride cyclopentadienyl thiocyanate complex, 3063
Titanium(IV)
alcohol alkoxide carboxylate diketonate oxo heterometallic complexes, 1181
alkoxide chloride cyclopentadienyl diphenoxide complexes, 743
alkylamide, 1169,1329
alkylamide chloride diamine complexes, 181
chloride cyclopentadienyl phenylamido salicylaldimine complexes, 2049
chloride cyclopentadienyl oxo peroxide complexes, 1105
cyclopentadienyl heteropolymolybdate, 1091
cyclopentadienyl phosphine thiocyanate complexes, 3063
oxo propoxide samarium compound, 927
4-Toluates
tantalum(V), 2265
4-Tolylamides
iridium(II), 919
Tolylimidazolaldimine complexes
copper(II) iron(II), 2259
4-Tolylimides
chromium(III),(IV), 485
2-(3'-Tolyl)pyridine complexes
Os(II), Ru(II), 1817
Topology
polyhedral rearrangements, 2005
Triamine complexes
cadmium, 993,1989
cobalt(III), 3127
copper(II), 993
zinc, 993,1989
Triazine synthesis, mechanism, 345
Triazole complexes
nickel(II), 1593
Tributylamine complexes
boron, 2599
Tributylphosphine complexes
iron(II), 117
palladium(II), 1609
platinum(II), 1077
Trichlorogermyls
molybdenum(II), 39
Tricyclohexylphosphine complexes
molybdenum(0), 2455
Triethanolamine complexes
lanthanum, 1181
Triethylamine complexes
boron, 2599
Triethylammonioacetates
calcium, copper(II), 1087
Triethylenetetramine complexes
cobalt(III), 3127
zinc, 1583
Triethylphosphine complexes
cadmium, 2715
manganese(I), 1277
nickel(0), 151
nickel(0,I), 1245
platinum(II), 1077,1233
rhodium(I), 609
zinc, 2715
Trifluoroacetates
cadmium, mercury, 1553
ruthenium(I), 3243
tungsten(IV), 3341
Trifluoromethanesulfonates

chromium(0), 1741
lanthanides, 319,1787
scandium, 1787
uranium(VI), 1725
Trifluoromethyls
gold, 1233
Trifluoropentanedionates
chromium(III), 2043
nickel(II), 281
rhodium(I), 609
Trimethylamine complexes
aluminium, 2401
boron, 2599
Trimethylethylenediamine
complexes, titanium(IV), 181
Trimethylphosphine complexes
cadmium, 2715
cobalt(0), 723
cobalt(0,I), 103,723
manganese(I), 1277
nickel(0), 723
platinum(II), 261,1233
rhodium(I), 609
zinc, 2715
Trimethylsiloxides
neodymium, 539
Trimethylsilylmethyls
indium, 199
Triphenylarsine complexes
ruthenium(II), 689
Triphenylphosphine complexes
boron, 2599
chromium(0), 1741
cobalt, 3045
copper(I), 2359
iridium(II), 919
molybdenum(0), 241,975
molybdenum(II), 39,635,3309
nickel, 3045
nickel(I), 3063
palladium(II), 777,1609,3099
platinum(II), 261,777
rhodium(I), 2507
ruthenium(II), 77,1887,2671,
2999,3063
ruthenium(III), 2671,3079
silver, 841
tungsten(II), 635
Triphenylphosphine oxide
complexes
molybdenum(II), 39
zinc, 27
Triphenylphosphine sulfide
complexes
molybdenum(II), 39
molybdenum(II), 525
ruthenium(II), 689
tungsten(II), 525
Triphosphine complexes
cobalt, 3045
molybdenum(0), 241
nickel, 3045
Tripropylamine complexes
boron, 2599
Tris(2-aminoethyl)amine
complexes, cobalt(III), 3127
Tris(4-chlorophenyl)phosphine
complexes,
molybdenum(I), 1835
molybdenum(II), 3309
rhodium(I), 1575
Tris(dimethylaminomethyl)ethane
complexes, Cd, Zn, 1989
Tris(diphenylphosphinomethyl)-
ethane complexes, Co,Ni, 3045
Tris(4-fluorophenyl)phosphine
complexes,
molybdenum(I), 1835
molybdenum(II), 3309
rhodium(I), 1575
Tris(4-methoxyphenyl)phosphine
complexes,
molybdenum(I), 1835
molybdenum(II), 3309
rhodium(I), 1575
Tris(methylaminomethyl)ethane
complexes, Cd, Zn, 1989
Tris(2-pyridylmethyl)amine
complexes, chromium(III), 737
Tris(trimethoxyphenyl)phosphine
complexes, nickel(0), 727
Tris(trimethoxyphenyl)phosphine
oxide, 727
Tris(trimethylsilyl)arsine
complexes, indium, 625
Tris(trimethylsilyl)phosphine
complexes
aluminium, 2737
indium, 625
Tris(trimethylsilyl)silyls
zirconium, 2231
Tri-*m*-tolylphosphine complexes
copper(I), 3119
Tri-*p*-tolylphosphine complexes
molybdenum(I), 1835
molybdenum(II), 3309
rhodium(I), 1575
Tropolonates
indium, 513
Tungsten
carbide, 1315
Tungsten(0)
carbonyl cyanide heteromet-
allic complexes, 1875,2337
carbonyl cyclopentadienyl
cobalt(0) complexes, 3235

carbonyl cyclopentadienyl mercury complexes, 2179
Tungsten(II)
alkyne bromide carbonyl diimine diphosphine nitrile phosphine complexes, 2915
alkyne carbonyl diphosphine halide hydroxide nitrate nitrite thiocyanate complexes, 3265
arylamide chloride nitrosyl phenoxide pyrazolylborate complexes, 2107
carbonyl halide phosphine complexes, 635
carbonyl iodide triphosphine complexes, 525
Tungsten(III)
alkoxide cyanide complexes, 2035
bromide cyclopentadienyl, 2971
Tungsten(IV)
carboxylate diphosphine hydride complexes, 3341
chalcogenide clusters, 1841
cyanide oxo picolinate complexes, 599
cyanide phenanthroline complexes, 1755
Tungsten(V)
alkylimide bromide cyclopentadienyl phosphine complexes, 2971
cyanide phenanthroline complexes, 1755
Tungsten(VI)
alkylamide alkylimide, 2443
alkylidyne bromide pyrazolylborate, 353
alkylimide halide iminophosphine phenoxide thiophenoxide complexes, 2899
amidrazone disulfide oxo complexes, 301
arylamide catecholate chloride diphenoxide ether oxo complexes, 1267
fluoride, 749
glycol complexes, 2519
heteropolyanions, 2421
selenate silver complex, 841

U

Uranium(IV)
aminosilylamide chloride, 1651
Uranium(VI)
amide halide hydrazone nitrate oxo thiocyanate complexes, 957
crown ligand nitrile oxo sulfonate water complexes, 1725
carboxylate diimine halide ketoimine nitrate oxo sulfate thiocyanate mercury complexes, 559,2945
glycine oxo complexes, 861
oxo pyridine Schiff base macrocyclic complex, 899

V

Valine complexes
cobalt(III), 2591
Valinylalanine complexes
Co, Ni, Zn, 2683
Vanadium
carbide, 1315
nitrides, 1169
Vanadium(IV)
alkylamide, 1169
aminopolycarboxylate oxo complexes, 1763
chloride hydroxide oxo salicylaldimine complexes, 2049
chloride oxo water complex, crown ether adducts, 1715
cyanate hydrazone oxo complexes, 1701
diketonate oxo compounds, 2825
diketonate oxo piperidine porphyrin pyridine-1-oxide complexes, 2017
dioxygen ketoimine oxo salicylaldimine complexes, 2205
histidine oxo thiocyanate complexes, 3177
oxo phenoxide salicylaldimine complexes, 2495
oxo tartrate water barium complex, 357
Vanadium(V)
diimine oxalate oxo peroxide water complexes, 695
diketonate oxo chromium(III) complex, 485
glycine oxo complexes, 861
heteropolyanions, 2271
heteropolytungstate

complexes, 2421
nitrilotriacetate oxo peroxide complex, 1587
oxo phenoxide salicylaldimine complexes, 2495
Vinyl complexes
platinum(II), 2583
Viscosity, chromium(III) diketonate polymers, 2043
Volume of Activation
hydration, cobalt(III) amine ammine diketonate complexes, 2483

W

Water complexes
barium, 357,2459,3323
cadmium, 847,1095
chromium(III), 1051
cobalt(II), 143
cobalt(III), 63,2185,2477
copper(I,II), 2793
copper(II), 221,307,825, 1099,1631,1907,1951,2929
iron(III), 1523
lanthanides, 109,113,313,987, 1881,1931,1937,2333,2957, 2993,3199
lead(II), 45
lithium, 69,3135
manganese(II), 1095,2157
molybdenum(V), 505
molybdenum(VI), 2745
nickel(II), 143,517,873,1095, 1593,1907,2751
osmium(VI), 717
palladium(II), 1907
potassium, 3135
ruthenium(II), 451,2963,2999
silver, 2425
sodium, 2149
tungsten(IV), 599
uranium(VI), 1725
vanadium(IV), 357,1715
vanadium(V), 695
yttrium, 2333
zinc, 909,3085

X

XANES
chromium(III) oxalate complex, 1625
cobalt(III) diamine dicarboxylate complexes, 1625
titanium in oxide, siloxide gels, 1123
Xanthates
cadmium, 2801
iron(III), 2579
XPE spectra
carbides, 1315
copper(III) periodate, tellurate complexes, 2489
iron metal, fluoride, 1197
lanthanide diketonate porphyrins, 2255
lanthanide heteropoly-tungstate complexes, 1057
X-ray crystal structures
aluminium halide silyl-phosphine complexes, 2737
aluminium phenoxide magnesium complex, 1045
antimony(III) alkyl amine chloride complex, 365
antimony(III) dithiophos-phinate methyl, 2531
antimony(III) iodide complex, 1655
antimony(III) methyl oxo trinuclear cation, 2471
barium alkoxide ether hydrox-ide water complex, 3323
barium aminoalkoxide diketonate hydroxide complexes, 2163
barium diketonate water complex, 2459
barium tartrate water vanadium(IV) complex, 357
bismuth(III) dithiophosphinate, 547
cadmium carboxylate thioamide complex, 1095
cadmium diazolylpyridine complex, 1661
cadmium diimine salicylal-dimine thiophenoxide complex, 1735
cadmium dithiocarbamate phosphine zinc complex, 2715
cadmium hydroxide phosphonate water complex, 847
cadmium silylphosphide, 1131
calcium betaine copper(II) complex, 1087
cadmium chloride thiophen-oxide complex, 3023
chromium(0) carbonyl cyclopentadienyl mercury complex, 2179

chromium(0) carbonyl hydride nitrosyl phosphine complex, 1741
chromium(III) ketobutyric acid thiosemicarbazone complex, 395
cobalt carbonyl thio heteropolymetallic complexes, 389,851
cobalt hexaphosphorus triphosphine platinum(II) complex, 3045
cobalt(0) carbonyl heterometallic complexes, 3235
cobalt(II) amidine chloride complex, 815
cobalt(II) cyclopentadienyl phosphonate gallium complexes, 3053
cobalt(II) phosphinotricarboxylate complex, 2847
cobalt(III) amine nitrite thioether tetradentate complex, 463
cobalt(III) chloride polyaminocarboxylate water complexes, 2477
cobalt(III) diamine nitrite complex, 165
cobalt(III) glycine phenanthroline water complexes, 2185
cobalt(III) ketobutyric acid thiosemicarbazone complex, 395
copper(I) bromide phosphine thione complex, 3119
copper(I) carboxylate phosphine complex, 2359
copper(I) cyanoborohydride diphosphine nickel(0) complex, 2431
copper(I,II) bromide dimethylformamide water complex, 2793
copper(II) acetate aminomethylpyridine complex, 2933
copper(II) alkoxide diketonate, 1039
copper(II) amine chloride pyridine macrocyclic complex, 771
copper(II) amine oxime sulfate complex, 553
copper(II) aminooxamide azide imidazole perchorate complexes, 783
copper(II) azide lutidine complexes, 2141
copper(II) azole pyridine terpyridine tetrafluoroborate water complexes, 825
copper(II) betaine calcium complex, 1087
copper(II) bromide phenanthroline complex, 267
copper(II) carboxylate pyridine water complexes, 1631
copper(II) carboxyphenylazopyrimidine dipyridylamine complexes, 203
copper(II) chloranilate dipyridyl methanol complex, 933
copper(II) chloride ethoxycyanopyridine complex, 345
copper(II) chloride pyridylquinoxaline complex, 3209
copper(II) cytosine complex, 2513
copper(II) diamine diketonate complex, 2379
copper(II) diamine nitrate complex, 2285
copper(II) diamine tetraacetylethane complex, 2861
copper(II) diamine water complex, 1099
copper(II) diaminooxamide dicarboxylate, 2543
copper(II) diaminopyridine halide nitrate complexes, 435
copper(II) dicarboxylate diimine water complex, 1951
copper(II) dicarboxylate phenanthroline complex, 221
copper(II) ethanediol complex, 2767
copper(II) nitrate tetrazole water complex, 2929
copper(II) pentamine complex, 1583
copper(II) theophylline water complex, 307
dithiaphosphetane, 579
dysprosium alkoxide ether tetraalkene complex, 1927
dysprosium chloride furfurylcyclopentadienyl complex, 2867
erbium alanine water yttrium complex, 2333
erbium glutamate nitrate

water complex, 2957
europium crown ether nitrate nitrile water complex, 313
europium diimine diketonate complex, 3167
europium pyridinedicarboxylate La complex, 987
gallium alkoxide alkyl phenoxide compounds, 2831
gallium chloride, phosphine oxide Co(II) complex, 3053
germanium catecholate complex, 3257
germanium telluride complex, 2775
gold(I) diphosphine ethynyl complex, 887
gold(I) thione complexes, 753
gold(III) amidopyridine chloride complex, 2073
indium alkyl arsine phosphine complexes, 625
indium alkyl chlorides, 199
indium chloride tetrahydrofuran complex, 2731
indium thiolate complexes, 2801
indium tropolonates, 513
iridium(II) arylamide carbonyl iodide complex, 919
iron carbonyl cyclopentadienyl thio cobalt complex, 851
iron carbonyl hydride phosphide complexes, 2893
iron carbonyl thio heteropolymetallic complexes, 389
iron(II) amidine chloride complex, 815
iron(II) carbonyl cyclopentadienyl phthalimide complex, 1689
iron(II) chloride thio Mo(V) cubane complexes, 3147
iron(II) diimine thiocyanate complex, 2259
iron(II) pyrazolylborate, 87
iron(II) thiophenoxide Mo(0),(I) complexes, 667
iron(III) cyclopentadienyls, 1677
iron(III) pyrazolylborate, 87
iron(III) pyridone complex, 187
lanthanide aminoisobutyrate water complexes, 2993
lanthanum acetate pyridine Schiff base thiocyanate macrocyclic hexadentate complex, 573
lanthanum amide chloride cryptate sulfonate complexes, 319
lanthanum aminopolyetherpolycarboxylate complex, 2193
lanthanum chloride cyclopentadienyl lithium complex, 2979
lanthanum diamide nitrate complex, 349
lanthanum malonate water complex, 1931
lanthanum nitrate complex, 1035
lanthanum pyridine dicarboxylate Eu complex, 987
lead(II) alkoxide water complex, 45
lead(II) carboxylate dicarboxylate, 1683
lead(II) crown ether thiocyanate complexes, 2549
lead(II) dithiodiphosphinate, 2873
lead(II) ethanolamine complex, 15
lithium chloride tetrahydrofuran lanthanide complexes, 539,2979
lithium tartrate water complex, 3135
lutetium nitrate water complex, crown ether adduct, 313
magnesium phenoxide tetrahydrofuran aluminium complex, 1045
manganese(I) carbonyl phosphacyclopentadienyl Ru(II) complexes, 2555
manganese(I) carbonyl phosphine tellurolate complex, 1277
manganese(II) carboxylate dicarboxylate pyridine water complex, 2157
manganese(II) carboxylate thioamide water complexes, 1095
manganese(II) phenoxide polyamine binucleating complex, 683
manganese(III) chloride phenanthroline complex, 765
manganese(III) salicylaldimine thiocyanate

complexes, 2387
mercury betaine halide complexes, 3333
mercury chromium(0) complex, 2179
mercury pyrazolylborate thiolate, 2695
molybdenum carbonyl cyclopentadienyl heteropolymetallic complexes, 389
molybdenum carbonyl thio complex, 125
molybdenum(0) carbonyl cyclopentadienyl cobalt(0) complex, 3235
molybdenum(0) carbonyl phosphine complexes, 227, 2455
molybdenum(0),(I) carbonyl thiophenoxide iron(II) complexes, 667
molybdenum(II) bromide carbonyl hydroxide phosphine complex, 635
molybdenum(II) carbonyl chloride diimine mercury complex, 1669
molybdenum(III) chloride pyridine complex, 3171
molybdenum(V) cyanide oxalate thio iron(II) cubane complexes, 3147
molybdenum(VI) chloride oxo water complex triether solvate, 2745
molybdenum(VI) heteropolyanions, 1091,2271
molybdenum(VI) isopolyanions, 1011,2439
molybdenum(VI) oxo salicylhydrazide sulfoxide complex, 2611
molybdenum(VI) selenate silver complex, 841
neodymium alkoxide chloride siloxide silylamide lithium complexes, 539
neodymium arylamide cyclopentadienyl complex, 1695
neodymium azide complex, 1069
nickel triphosphine triphosphorus platinum(II) complex, 3045
nickel(0) carbonyl diphosphine copper(I) complex, 2431
nickel(0) phosphine complex, 151
nickel(II) acetylpyrrole Schiff base complexes, 2055
nickel(II) amide carboxylate complex, 2537
nickel(II) aminopyridine dithiophosphate complex, 2763
nickel(II) cyclopentadienyl dithiocarbamate complex, 2525
nickel(II) diamine oxamide thiocyanate water complex, 873
nickel(II) methanol nitrate thiocyanate triazole water complexes, 1593
nickel(II) nitroxide water complexes, 2781
nickel(II) pyrazolylborate, 2173
niobium(V) carboxylate chloride, 2265
osmium carbonyl hydride pyridinethiolate complexes, 3285
osmium(IV) chloride porphyrin, 339
palladium(II) amide chloride phosphine complex, 3099
palladium(II) amine chloride diimine phenoxide complexes, 2291
palladium(II) aza crown chloride complex, 2135
palladium(II) azopyridine chloride phenoxide complex, 999
palladium(II) bromide pyridine thiosemicarbazone complex, 1917
palladium(II) chloride phosphine pyrrolethioamide complexes, 1609
phosphine, phosphine oxide, 727
phosphorus(V) alkoxide porphyrins, 2887,3091
platinum(II) amidine chloride complexes, 815
platinum(II) amine chloride diimine complex, 2291
platinum(II) amine chloride vinylpyridine complex, 2583
platinum(II) aminophenoxide catecholate phosphine complexes, 261
platinum(II) chloride diphosphinosulfoxide

complex, 3253
platinum(II) chloride phosphine phosphorane complex, 1077
platinum(II) phosphine phosphorus heterometallic complexes, 3045
platinum(II) porphycene, 2563
platinum(IV) iodide methyl pyridazine complexes, 2501
potassium butoxide zinc complex, 709
potassium tartrate water complex, 3135
praseodymium alkoxide ammonia complex, 1
rhenium(0,I) carbonyl hydride thio Ru(0,I) complex, 1945
rhenium(III) amidate chloride complexes, 807
rhenium(V) diaminodiphenoxide oxo complexes, 701
rhodium(I) carbonyl diphosphine quinaldate complex, 1563
rhodium(I) diene diketonate phosphine complexes, 609
rhodium(I) diene salicylate complex, 655
rhodium(II) acetate aminomethylpyridine complex, 2933
rhodium(III) alkyl chloride cyclopentadienyl phosphine - selenide complex, 1101
ruthenium(0,I) carbonyl hydrosulfide pyridinethione thio complex, 2085
ruthenium(0,I) carbonyl pyridyl thio rhenium(0,I) complex, 1945
ruthenium(I) amidine carbonyl complex, 175
ruthenium(I) carbonyl carboxylate iminodiphosphine pyridone complexes, 3243
ruthenium(II) aminophosphine carbonyl cyclopentadienyl complex, 2923
ruthenium(II) arsine carbonyl chloride phosphine complexes, 689
ruthenium(II) carbonyl chloride phosphacyclopentadiene manganese(II) complexes, 2555
ruthenium(II) carboxylate diphosphine phosphine complexes, 2751
ruthenium(II) chloride diimine terpyridyl complex, 2963
ruthenium(II) chloride diselenoether complex, 881
ruthenium(III) carboxylate diamine oxo phosphine complex, 3079
ruthenium(III) diketonate, 2197
ruthenium(IV) chloride diallyl nitrate complexes, 167
samarium oxo propoxide titanium compound, 927
silver amine Schiff base cryptate complex, 2467
silver carboxylatopyridine water complexes, 2425
silver iodide phosphine selenate heterometallic complexes, 841
sodium butoxide zinc complex, 709
sodium chloride cyclopentadienylphosphine ether ytterbium complexes, 3027
sodium octamolybdate complex, 835
tantalum(V) carboxylate chloride, 2265
thallium(III) cyanide porphyrin, 403
thallium(I) tartrate water complex, 3135
thallium(III) methyl thiophosphonate, 1805
tin(II) acylpyrazolone, 938
tin(II) pyrazolylborate, 869
tin(IV) alkoxide aminothiophenoxide chloride complex, 2223
tin(IV) alkyl aryl chlorides, 1705
tin(IV) alkyl diphosphinate, 3159
tin(IV) alkyl thiotetrazolates, 2809
tin(IV) chloride diimine methyl complex, 2569
tin(IV) chloride dithiocarbamate, 903
titanium(IV) chloride cyclopentadienyl oxo phenoxide complexes, 1105
titanium(IV) chloride

diamine complex, 181
titanium(IV) cyclopentadienyl heteropolymolybdate, 1091
titanium oxo propoxide samarium compound, 927
tungsten(III) bromide cyclopentadienyl, 2971
tungsten(VI) alkylidyne bromide pyrazolylborate complex, 353
tungsten(VI) alkylimide halide iminophosphine thiophenoxide complexes, 2899
tungsten(VI) amidrazone disulfide oxo complexes, 301
tungsten(VI) glycol complexes, 2519
tungsten(VI) selenate silver complex, 841
uranium(IV) aminosilylamide chloride, 1651
vanadium(IV) chloride oxo water complex, crown ether adducts, 1715
vanadium(IV) oxo tartrate water barium complex, 357
vanadium(V) heteropolyanion, 2271
vanadium(V) nitrilotriacetate oxo peroxide complex, 1587
vanadium(V) oxo phenoxide salicylaldimine complex, 2495
ytterbium arylamide cyclopentadienyl complex, 1023
ytterbium chloride cyclopentadienyl sodium complex, 3027
yttrium alanine water erbium complex, 2333
yttrium chloride cyclopentadienyl ether complex, 375
zinc acetate dipyridyl complex, 3329
zinc amide carboxylate complex, 2537
zinc butoxide alkali metal complexes, 709
zinc carbonate dipyridyl water complex, 3085
zinc carboxylate diimine complexes, 2079
zinc diimine pyridine pyridinethiolate complex, 273
zinc diphosphine dithiocarbamate phosphine cadmium complexes, 2715
X-ray diffraction
calcium hydroxyapatite, 3071
carbides, 1315
chromium(III) lithium oxide, 1301
cobalt arsenide, phosphide, 1159
cobalt(II) carbonate hydroxide complex, 3269
copper(II) hydrazide thiocyanate thallium(I) complexes, 529
dithiocarbamate heterometallic complexes (Cd, Zn), 2715
dithiooxalates (Ni, Pd, Pt), 2311,2819
gallium arsenide, 1149
iron metal, sulfide, 1197
lanthanide nitrates, 1035
lanthanide nitrides, 235
lanthanide phenoxide pyridine Schiff base complexes, 2089
lanthanide sulfonates, 1787
lanthanum phenylphosphonate phosphites, 1291
lead polyphosphates, 3105
lithium alkylamide ether heterometallic complexes, 3229
thorium chloride hydrazone complexes, 957
uranium(VI) hydrazone oxo complexes, 957
ytterbium, yttrium alkylamide lithium complexes, 3229

Y

Ytterbium
alkylamide lithium complex, 3229
arylamide cyclopentadienyl complex, 1023
chloride cyclopentadienyl sodium complex, 3027
chloride ether complex, 2679
chloride furfurylcyclopentadienyl complex, 2867
diketonate porphyrin, 2255
dipyridyl polyketonate complex, 3317
disulfoxide perchlorate water complex, 1881
nitride, 235

phenanthroline thiocyanate water complex, 3199
Yttrium
alanine water lanthanide complexes, 2333
alkylamide lithium complex, 3229
chloride cyclopentadienyl ether complex, 375
chloride ether complex, 2679
dipyridyl polyketonate complex, 3317
nitrate complex, 1035
nitride, 235

Z

Zinc(I)
ion, reactions with benzenes, thiols, 409
Zinc(II)
acetate dipyridyl complex, 3329
acetylferrocenyl hydrazone complexes, 57
amide carboxylate complex, 2537
amide halide phosphine oxide pyridine pyridine-1-oxide complexes, 27
azole carboxylate halide complexes, 1553
azole tetramine copper(II) complex, 1583
butoxide alkali metal complexes, 709
carbonate dipyridyl water complex, 3085
carboxylate diimine complexes, 2079
chloride diamidodiimine macrocyclic complexes, 2319
diamine halide complexes, 1997
diimine pyridine pyrimidine-thiolate complexes, 273
diphosphine dithiocarbamate phosphine cadmium complexes, 2715
iodide triamine complexes, 1989
peptide complexes, 2683
phosphide, ternary phosphides, 1131
phosphinotricarboxylate complex, 2847
porphyrins, 1863
porphyrin pyridine complexes, 2017
pyrazolylborate, 2173
salicylglycine complexes, 1495
triamine complexes, 993
Zirconium(IV)
alkoxide carboxylate oxide heterometallic complexes, 1181
alkyl chloride cyclopentadienyl hydride silyl complexes, 2231
alkylamide, 1169
carbide, 1315
chloride cyclopentadienyl diphenoxide complexes, 743
copper phosphate, 1311
cyclopentadienyl phenoxide complexes, 1105
nitrides, 1169,1225
phosphonate, 1311

Send for a FREE Sample Copy NOW

Free Sample Copies are
available for most of
Elsevier Science's international
research journals

Write to your nearest
Elsevier Science office

Elsevier Science Ltd
The Boulevard, Langford Lane,
Kidlington, Oxford OX5 1GB, UK

Elsevier Science Inc.
660 White Plains Road, Tarrytown,
NY 10591-5153, USA

COR017/P10

Did you know that if you are a contributor to any Elsevier Science Book or Journal you are entitled to

30%

Discount on all

our Books*?

Elsevier

Pergamon

North Holland

Excerpta Medica

*(except multi-volume reference works)

Contact your nearest Elsevier Science office in order to obtain a subject catalogue

Elsevier Science Ltd, The Boulevard, Langford Lane,
Kidlington, Oxford, OX5 1GB, UK
Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA

cor017/p8

Receive Regular News of Elsevier 's Publications

Elsevier Science mails information on new and existing publications regularly.
If you would like to be added to the mailing list please send us your name and full mailing address, indicating your fields of interest:

ENGINEERING
Energy Sources & Technology, Civil & Structural Engineering,
Mechanical Engineering, Electrical & Electronic Engineering,
Systems & Control Engineering, Aeronautical & Aerospace Technology,
Materials Technology, Chemical Engineering

LIFE SCIENCES & MEDICINE
Biological Sciences (including biochemistry & molecular biology), Agriculture,
Veterinary Medicine, Immunology, Cancer Research, Pharmacology,
Neuroscience, Vision Science, Clinical Medicine

PHYSICAL SCIENCES
Computer Science, Physics, Chemistry, Mathematics, Earth Science,
Environmental Science, Materials Science, Space & Planetary Sciences

SOCIAL SCIENCE & HUMANITIES
Sociology, Women's Studies, Psychology, Education,
Political Science, Geography, Economics, Management & Business, Linguistics,
Information Science, Librarianship

ELSEVIER
SCIENCE

Elsevier Science Ltd
The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK

Elsevier Science Inc.
660 White Plains Road, Tarrytown, NY 10591-5153, USA

COR017/P4

available at your fingertips ...

the

ELSEVIER SCIENCE

Catalogue on **INTERNET**

including Butterworth-Heinemann Journals

The *Complete Elsevier Science Catalogue* is now available by Gopher and on the World Wide Web Servers to any individual who has access to the internet. Not only does this feature all journals, books, major reference works and newsletters but it also allows you to access information about any of the electronic and CD-ROM products now published by Elsevier Science.

Features Include:

- **alerting facility for new & forthcoming publications**
- **monthly update**
- **product newsflashes**
- **electronic, CD-ROM products**
- **Elsevier's complete book backlist**
- **hypertext features**
- **free text search facilities**
- **ordering facilities**
- **download facilities for demos**

ELSEVIER

PERGAMON

NORTH HOLLAND

EXCERPTA MEDICA

How to Access the Elsevier Science Servers

Gopher: **gopher.elsevier.nl**
WWW: **http://www.elsevier.nl/**

CO531 04/95

Elsevier Science Limited Encourages the Submission of Articles on Disk



Delivery of Electronic Files

Authors may now submit *accepted* manuscripts on 3.5" or 5.25" disks.

Disks must be clearly marked with the following information:

Operating system
Disk format (e.g.DS/DD)
Word Processor used, including version number (users of T_EX see later)
Authors' names
Short title of article

Two printed copies of the final version of the manuscript should be submitted with the disk. In the event of differences between disk and hard-copy, the hard-copy will be considered as the definitive version.

Preparing Electronic Text Files

When using a word processor to prepare a manuscript the following should be noted:

Page design will be handled by the Publisher. There is therefore no need to use formatting commands such as centring, justifying text, indenting etc.
Use the word processor's facilities to indicate the following text attributes: bold; underline; italic; subscript; superscript; strikeout.
Do not use the hyphenation facilities of your word processor.
When preparing tables use tabs, not spaces, to align columns.
When using symbols to denote special characters please supply a list of all codes used.

Use "hard returns" (i.e. using the enter key) only at the end of paragraphs. Use your word processor's "word-wrap" feature within paragraphs.
It is essential that the printed versions supplied are produced directly from the submitted electronic version.

$LaTeX$ / TeX

Authors wishing to submit their article as a $LaTeX$ / TeX file should note the following:
Authors should use the "Article" style or the Elsevier $LaTeX$ package which is available via anonymous FTP from CTAN centres.

Host names:	**CTAN directory:**
ftp.dante.de	/pub/tex/macros/latex209/contrib/elsevier
ftp.tex.ac.uk	/pub/archive/macros/latex209/contrib/elsevier
ftp.shsu.edu	/tex-archive/macros/latex209/contrib/elsevier

(Further details on TeX can be obtained from Martin Key)

Authors should not add their own macros.

Preparing Electronic Graphic Files

Illustrations ideally should be produced in the Macintosh environment using the following software packages:
(Please do not save images as postscript files)

Adobe Illustrator, Aldus Freehand, Cricket Graph, Macdraw, Chemdraw, Corel Draw-for PC

However we will accept any of the popular drawing programs for the Macintosh and PC.
Artwork should be drawn for finished size using a Times or Helvetica typeface at a final size of 8pt type with appropriate lineweights.
Please indicate format, operating system, program and version number of the software used. If possible also print a directory of filenames.
Scanned artwork should be saved to Tiff format for both line and half-tone and scanned at a suggested setting of 400 dpi for half-tones and 1000 dpi for linework. If it is necessary to compress the scans please indicate the software used. It is essential that a hard copy print of the scans be included.
Illustrations should be logically named and saved as individual files to 3.5" disk or a SyQuest cartridge 44mB or 88mB. If 3.5" disks are not available to you, 5.25" disks are acceptable. Please send a laser print of the artwork with the electronic file.
When submitting electronic colour images please indicate the file format and program used (including compression software). Include a 4 colour machine or cromalin proof and check that all the separations (if provided) are colour identified.

If you require any further information please contact the following:

Elsevier Science Ltd
The Boulevard
Langford Lane
Kidlington
Oxford
OX5 1GB
UK

Martin Key (Text)
Tel: 44 865 843550
Fax: 44 865 843905
E-mail: m.key@elsevier.co.uk

Phil Halsey (Graphics)
Tel: 44 865 843305
Fax: 44 865 843921
E-mail:p.halsey@elsevier.co.uk.

Elsevier Science Inc
660 White Plains Road
Tarrytown
NY 10591-5153
USA

Tom Lewis-Flood
(Text/Graphics)
Tel: 914 333 2535
Fax: 914 333 2444
Email:t.lewis flood@elsevier.com

• BACK ISSUES OF •

THIS

JOURNAL

Back issues of this and all other Elsevier Science journals are available in hard copy. New subscribers to a journal may purchase back issues of that publication in hard copy edition at 25% discount off the standard price. Elsevier Science maintains stocks of back issues and orders may be placed with confidence at your nearest Elsevier Science office. Should any issue of a volume be temporarily out of stock at the time of ordering, a high quality photoduplicated copy will be supplied at no extra charge to complete your order.

SAVE UP TO 25% BY PURCHASING COMPLETE SETS

Customers wishing to purchase complete sets can do so at a saving of 25% off the individual volume price.

MICROFORM EDITIONS

Back issues in microform of Elsevier Science research journals are also available. For further information please apply to your nearest Elsevier Science office.

BACK ISSUES PRICE LIST

Full details of the rates of back issues of all Elsevier Science journals can be found in our Back Issues Price List. Please contact your nearest Elsevier Science office for a copy.

ELSEVIER
SCIENCE

Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK
Telephone: +44 0865 843699 • Fax: +44 0865 843911
Elsevier Science Inc., 660 White Plains Road, Tarrytown, NY 10591-5153, USA
Telephone: +1 914 524 9200 • Fax: +1 914 333 2444

Printed in Great Britain at BPC-AUP Aberdeen Ltd

Reproduced with the permission of Pergamon Press Inc., by University Microfilms Inc. Duplication or resale without permission is prohibited.